

2026



**SPORTS  
EQUIPMENT**



# OUR VISION

Sodex Sport, with its singular identity, positions itself as one of the main players on the international market for sports equipment. Combining its European experience and its long-date presence in Vietnam. Sodex is nowadays a reputable manufacturer, with among the best value for money on the market.



4 essential axes guide our global strategy:

- Sodex Sport factory, in which all 3 of our workshops are regrouped: Metallic, composite and net workshops comply with ISO 9001 and ISO 14001.

The presence of all these production lines in one place, as well as fully mastering each production from start to finish, allows us to constantly and rigorously monitor product quality.

- Reactivity

Reactivity being essential to gain market shares, Sodex ensures quick shipping thanks to 2 supply warehouses.

- For Europe, SODEX France, with bilingual commercial and logistics teams who manage a 5000m<sup>2</sup> stock with most of our references for fast shipment.
- For Asia, SODEX Vietnam, with multicultural commercial and logistics teams, as well as 3000m<sup>2</sup> of stock in addition to the workshops.

Our commercial teams are trained to quickly answer your requests and take care of shipping to your company.

- A catalogue which goes more in depth

This new format has been improved with you in mind, to clearly show product advantages, more details and clearly explain advantages. In this logic, our digital catalogue sees the arrival of integrated media links, showing short

videos or clips, which you can access by clicking 

The aim is to provide you with as many elements as possible to set yourself apart from competitors, with a clear technical offer, explaining advantages in terms of installation, security, solidity and use.

- Communication

Sodex is a dynamic company, and listens to your suggestions, be it for a service, product or documentation which can be improved in any way. Our policy is to stay open to our clients remarks.



A handwritten signature in black ink, appearing to read 'Alain Bouvot'.

*Alain Bouvot  
CEO*



Expertise in  
**30 ranges**  
 of sports equipment.  
 Goals, posts, nets and  
 accessories

Founded in 1991  
**30+ years**  
 experience

Staff  
**200 employees**

**150m<sup>2</sup>** dedicated to  
 compliance and prototype  
 testing

**3 workshops**  
 Metal  
 Nets  
 Backboards

**15.000m<sup>2</sup>**  
 New ISO 9001:2015  
 certified factory

**100+** International  
 standards and federation  
 certifications

**5000m<sup>2</sup>**  
 Stock to ensure  
 short delivery  
 times

Professional customers  
 present throughout  
**5 continents**

Sport	Standard	International federation
Football	EN 748	FIFA
Handball	EN 749	IHF
Hockey	EN 750	FIH
Basketball	EN 1270	FIBA
Volleyball	EN 1271	FIVB
Badminton	EN 1509	BWF
Tennis	EN 1510	ITF
Futsal	EN 16579	FIFA
Fitness	EN 16630	-
Track & field	-	World Athletics





### EXPERTISE FROM A to Z

Our 3 workshops: Metal, nets and backboards, are all managed by experienced men and women. Production is handled 100% in-house, without the need for sub-contracting. Allowing for optimal monitoring of quality as well as productivity.

### SECURITY AND RESISTANCE

Testing is carried out by a third party certification body (APAVE) at the factory in order to ensure full compliance of our equipment with international standards and regulations.

This guarantees upmost safety in all environment for users, from school yards to international sports infrastructures.



### QUALITY CONTROL


Quality checks are carried out throughout the entire production line, from the arrival of raw material all the way to packaging in each workshop.

Sodex Sport staff is trained to self-control quality. Along the production line, efficient management allows anticipating and classifying possible quality flaws, taking preventive actions.



### TAILORED PROJECTS

Our engineering team offers customized studies when our clients need tailor-made solutions or specific installations. Ceiling or wall-mounted basketball goals, telescopic bleachers, complex configurations,... Preliminary studies and computer aided simulations are carried out before presenting different options to clients before validation.



**TEAM SPORTS**

**6**



**RACKET SPORTS**

**83**



**SOLO SPORTS**

**102**



**AROUND THE PITCH**

**119**





# TEAM SPORTS

**8** — Football

[www.sodexsport.com/football](http://www.sodexsport.com/football)

**22** — Futnet

[www.sodexsport.com/football-tennis](http://www.sodexsport.com/football-tennis)

**27** — Team shelters

[www.sodexsport.com/team-shelters](http://www.sodexsport.com/team-shelters)

**31** — 5-a-side pitch

[www.sodexsport.com/5-a-side-pitch](http://www.sodexsport.com/5-a-side-pitch)

**32** — Field hockey

[www.sodexsport.com/hockey](http://www.sodexsport.com/hockey)

**38** — Futsal

[www.sodexsport.com/futsal](http://www.sodexsport.com/futsal)

**39** — Cricket

[www.sodexsport.com/cricket](http://www.sodexsport.com/cricket)

**40** — Rugby

[www.sodexsport.com/rugby](http://www.sodexsport.com/rugby)



## 41 — Netball

[www.sodexsport.com/netball](http://www.sodexsport.com/netball)

## 42 — Basketball

[www.sodexsport.com/basketball](http://www.sodexsport.com/basketball)

## 58 — Handball

[www.sodexsport.com/handball](http://www.sodexsport.com/handball)

## 66 — Multi-use & MUGA

[www.sodexsport.com/Multi-function-goals](http://www.sodexsport.com/Multi-function-goals)

## 70 — Volleyball

[www.sodexsport.com/volleyball](http://www.sodexsport.com/volleyball)

## 76 — Beach equipment

[www.sodexsport.com/beach-equipment](http://www.sodexsport.com/beach-equipment)

## 80 — Sepak Takraw/Shuttlecock

[www.sodexsport.com/sepak-takraw-shuttlecock](http://www.sodexsport.com/sepak-takraw-shuttlecock)



## SENIOR GOALS

Complies with  
EN 748

### ► FIFA-certified goal



Dimensions: 7.32 x 2.44m. 120 x 100mm powder-coated aluminium.

Delivered with all accessories (below) for use in international competitions.

**S12215CPTcFIFA** - FIFA-certified goals pack.

The FIFA certification is valid only for the full package of equipment below:

- Hookless competition goals.
- Aluminium net folding base frames.
- Ø90mm net tensioning posts with double pulleys + 7 rear tension points.
- Round sockets for goals & net tensioning posts.
- Height adjustment adaptors for goals & net tensioning posts.
- Padding for net tensioning posts & net folding base frames.




 Aluminium net folding base frame.



 Post height adjuster.  
Precise adjustment of  
the goal height.



 Perfect net tension.  
Net tensioning posts:  
with double pulleys +  
7 rear tension points.



 Hookless net fixing.

## ► Socketed goals

Dimensions: 7.32 x 2.44m. Powder-coated. Delivered without ground socket. These goals are designed accordingly with FIFA requirements.




In order to reduce installation time, our goals come with pre-installed net hooks.



Corner joints are welded directly onto the crossbar.



### • Galvanized steel goal



#### With net hooks

**S12200** - Ø101.6mm round tube.




### • Aluminium goals



#### With net hooks

**S12201** - Ø101.6mm round tube.

**S12211** - 120x100mm elliptical tube.



#### Hookless design

Hookless goals feature an internal groove to secure the net inside.

**S12205** - Ø101.6mm round tube.

**S12215** - 120x100mm elliptical tube.

#### Hookless goals features

No need to remove the goal from its sockets to install or replace the net. The net slides into the frame through an opening at the corners.

Avoid hook breakages.

Net held along the entire length of the groove. Provides a consistent and durable fit.



# SENIOR GOALS

Complies with  
EN 748

## ► Freestanding goals

Dimensions: 7.32 x 2.44m. 120 x 100mm powder-coated aluminium.  
Ø42mm powder-coated steel arches.  
Delivered with integrated counterweight and 360° wheel kit.

 Corner joints are welded directly onto the crossbar.

**S12292** -  The goal was designed to avoid permanent contact of the wheels with the surface (Better stability and durability of the goal).



### Play position



### Mobility position




**S12292-08** - Set of 4 paddings for football goal transportation system.




 This design reduces wheel marks on the grass.



 The weighted bottom backbar rests on the ground, increasing the structure's durability.



 To protect the goalkeeper, the wheel system is placed outside the goal.



 Modern design clip-on hook. Secure the net inside the profile.

## ► Freestanding goals

Dimensions: 7.32 x 2.44m. Powder-coated. Delivered with anchoring systems.



Corner joints are welded directly onto the crossbar.

### • Aluminium goals

With PVC netting hooks and steel arches

**S12281** - Ø101.6mm round tube.  
Ø34mm arches.



**S12288** - 120x100mm elliptical tube.  
Ø42mm arches.



In order to reduce installation time, our goals come with pre-installed net hooks.



**S12281**



 Arches fixed at each corner, providing better support than a strut.



 Perfect net tension.

- Options for freestanding goals (see accessories [page 19](#) for references)



### MOBILITY OPTIONS

#### For synthetic grass



In compliance with standards requirements, the counterweights guarantee the user a safe use as they are an integral part of the goal. In this way the counterweights remain fixed when the goal is moved.

#### For natural grass



Wheels are firmly attached to the frame, equipped with a lever system to lift the goal.





## JUNIOR GOALS

### ► Socketed goals

Dimensions: 5.0 x 2.0m. Powder-coated. Delivered without ground socket.



In order to reduce installation time, our goals come with pre-installed net hooks.



Corner joints are welded directly onto the uprights.




#### • Galvanized steel goals



With net hooks

**S12101** - Ø90mm round tube.



With net hooks and top net support

**S12119** - Ø90mm round tube.

#### • Aluminium goals



With net hooks

**S12102** - Ø90mm round tube.




With net hooks and top net support

**S12120** - Ø90mm round tube.



In compliance with EN748 our top net supports measure 80cm in length for optimal net support.




## ► Mobile goals

Dimensions: 5.0 x 2.0m. Powder-coated. Delivered with anchoring systems and rear reinforcement bars in Ø34mm powder-coated galvanized steel.

 In order to reduce installation time, our goals come with pre-installed net hooks.

 Corner joints are welded directly onto the uprights.

### • Galvanized steel goals



#### With net hooks

**S12137** - Ø90mm round tube.



### • Aluminium goals



#### With net hooks

**S12138** - Ø90mm round tube.



If ground anchors cannot be installed, counterweights can also be installed on the lower rear bar of the goals to make them compliant with standards requirements while ensuring easy transport.  
(See Accessories page for references).

## ► Freestanding goals

Powder-coated aluminium. Powder-coated galvanized steel rear reinforcement bars. Delivered with anchoring systems.

 In order to reduce installation time, our goals come with pre-installed net hooks.

 Corner joints are welded directly onto the uprights.

### • Aluminium goals




#### With net hooks

**S12246** - 120x100mm elliptical tube.

Also available in sizes for:

- 5 a side - 120x100mm.
- 7 a side - 120x100mm.
- 9 a side - Ø90mm & 120x100mm.



### Options for freestanding goals

**S12680N** - Mobility kit for 120x100mm mobile football 360° goals.  
To be used without counterweights.

For more option, see accessories [page 19](#) for references.



# FOLDABLE JUNIOR GOALS

Complies with  
**EN 748**

## ► Fence folding goals

Dimensions: 5.0 x 2.0m. Ø90mm powder-coated galvanized steel.

Runback can be adapted to pitch, from 2.3m to 3.8m.

 In order to reduce installation time, our goals come with pre-installed net hooks.

 Corner joints are welded directly onto the uprights.

### • Standard range

**S12043** - 50x50mm and 40x40mm side frames.



### • Premium range

**S12048** - 60x60mm and 50x50mm side frames.

Rear net support posts Ø76mm.



## Standard and premium features



 Ø90mm round tube with welded corner joint on the upright.



 Side-frames in hot-dip galvanized steel




50cm hot-dip galvanized steel rollers. Height adjustable.



Welded hooks under the side-frames. Keeps nets clear from rollers.




 2 fixing points hook.



 High upright support near the crossbar reinforces the corner when folding.



 Side frames in 60x60mm and 50x50mm hot-dip galvanized steel.



Height adjustment for the back part helps keep the goal perfectly level.

## ► With net hooks

Made out of powder-coated aluminium or galvanized steel.

 In order to reduce installation time, our goals come with pre-installed net hooks.




### • Mobile steel goals



**S12011** - Ø76mm round tube.  
Dimensions: 3.0 x 2.0m.  
With Ø34mm backbars.  
Delivered with anchoring system.

**S12015** - Ø60mm round tube.  
Dimensions: 2.0 x 1.5m.  
With Ø34mm backbars.  
Delivered with anchoring system.

### • Mobile and freestanding aluminium goals



**S12018** - Ø34mm round tube.  
Dimensions: 4.0 x 1.8m.  
With Ø34mm ground bars.



Reversible height: 1.8m or 1.4m.  
Very light product, compact format for transportation (less than 10kg, including net).  
This can be used for children, and be removed fast.  
Easy to assemble and disassemble, just require an allen key.

### • Mobile and foldable galvanized steel goals



**S12008** - Ø60mm round tube.  
Dimensions: 1.5 x 1.0m.  
With 30x30mm folding backbars.  
Delivered with anchoring systems.



Foldable design saves on storage space and easy to setup.



## ACCESSORIES


### ► Net accessories

#### • Galvanized steel folding base frame



**S12611N** - Made out of Ø27mm and Ø34mm. Galvanized powder-coated steel tube. For senior and junior goals.

 Eases ground maintenance (mowing or brushing). Helps move the goal and net easily.



#### • Aluminium folding base frame



**S12631** - 20x80mm rectangular tube.



 This system brings an aesthetic aspect to your goal. It is designed similarly to our hookless goal. Thus, the net is inserted inside a specific groove.

#### Fixing plate for folding base frame on steel goals (if not equipped)

**S12611EZW-08** - For Ø90mm tube.

**S12611EZW-10** - For Ø101.6mm tube.



#### Fixing plate for folding base frames on aluminium goal (if not equipped)

(Please consult us to check if this model fits the profile of other goals.)

**S12611-12** - For aluminium profile.



#### Net fixing pegs (For natural pitch)

Secures net to the ground, preventing balls from passing underneath.

**S12612** - Ø6mm solid wire.



#### • Weighted sheath for football nets



**S12616** - Length 8.6m. For junior goals.

**S12622** - Length 12.0m. For senior goals.

 Fastened at the bottom of nets in order to hold them perfectly on the ground and prevent balls from passing under the net. This solution is ideal for grass and synthetic pitches. The sheath has to be filled with ballast to weigh it down.



**S12622**

## ► Net accessories

### • Hooks



Models designed to be replaced without having to dismantle the goal.



**S12360** - 1 fixing point hook.



**S12364** - Clip-on hook for aluminium goal.



**S12361** - 2 fixing points hook.



**S12365** - Modern design clip-on hook for aluminium goal.



**S12363** - 1 fixing point hook + adhesive.



Secures the net inside the aluminium profile.

### • Net fixations



**Elastic cords**

**S12520** - Length 50cm.



**Sandows**

**S12525** - Length 10m.

This system allows better ball impact absorption and improves the longevity of nets.

### • Net supporting posts for senior and junior goals

Powder-coated galvanized steel. Height above ground: 2.70m.

**S12410N** - Standard range.

Ø49mm round tube.



**S12413N** - Premium range.



Ø90mm round tube.

Delivered with pulleys, clam cleats and straps.



### Premium range



Double pulleys allow solid tension.



Easy tension thanks to 2 clam cleats and 2 accessible straps at human's height.



Tension between posts allows adding 5 rear tension cords, 7 fixing points in total.



## ACCESSORIES

### ► Fixations accessories

#### • Ground sockets with caps



**S12068-08** - For Ø76mm tube (S12068).

**S16557BR** - For 80x80mm tube (S12063).

**S12410N-08** - For net supporting posts (S12410N).

**S12413N-08** - For net supporting posts (S12413N).

**S12555** - For Ø80mm tube.

**S12562BR** - For Ø90mm tube.

**S12572BR** - For Ø101.6mm tube.

**S12578BR** - For 120x100mm tube.



Special socket design to let sand and grit pass through, without blocking goal tubes.  
This profile also improves the stability of the socket in concrete.

#### • Height regulator

**S12592** - For Ø90mm socket.

Other options for goals include 101.6mm, and 120x100mm.



Adjusts the sockets usable depth. In the event that the socket is positioned too low, it allows you to adjust the height of your goals and posts to the regulatory heights.  
The adjustment ranges from +1 to +10cm.

#### • Anchoring systems



**S12471EZ** - Additional anchoring.

Other possibilities for Ø80mm, Ø90mm, Ø100mm tube.

For Ø34mm tube.

For freestanding and mobile goals.



#### • Option for mobile goals for natural pitch



**S12378EZ** - Stabilizing coil anchor for ground frame.

Other possibilities for Ø80mm, Ø90mm, Ø100mm tube.


For Ø34mm tube.

For freestanding and mobile goals.



## ► Mobility kit for freestanding goals

### • Standard range



**S12660N** - Empty counterweight at 20kg.  
Counterweight adaptors not included.

**S12663N** - Pre-weighted counterweight at 70kg.  
Counterweight adaptors not included.



Large rollers on each side of the counterweight facilitate the movement of the goal.

**Note:** The rear bars must have at least 2m (for senior goals) and 1.5m (for junior goals) runback to ensure compliance with standards requirements.

**S12660-05EZN** - Counterweight adaptors. For Ø34mm goals.

Other possibilities for Ø90mm, Ø101.6mm, 120x100mm.

To fasten different diameters of tube into the counterweight for optimal stability and compatibility with all goals.



**S12660-01EZN**



**S12660-05EZN**

**S12660N-07** - Counterweight padding.

To protect the goal keeper and also allows reducing rebound if a ball hits the counterweight directly.



### • Premium range

**S12668N** - Mobility kit for Ø90mm goal.

Other possibilities for Ø101.6mm, 120x100mm.

The wheels are firmly attached to the frame.

They can complement the mobile counterweight option.


These large pneumatic wheels help to avoid marking the pitch when the terrain is muddy.



Option: Wheels + counterweights.



A self-locking handle helps lift the goal up from the ground, making it mobile.



Clamping plates ensure the assembly's strength and extends the product's durability.



## ACCESSORIES

### ► Training accessories

**S12006** - Mini goal in galvanized steel.

With net 0.9 x 0.6m.

Designed with 2 interlocking parts for easy storage.



**S12547** - Mobile trolley for kick wall.

Allows using the kick wall on synthetic or very hard ground. Easy transport thanks to 1 handle.



**Shot practice PVC banner**

**S12582** - For junior goal.

**S12585** - For senior goal.



**S12548** - 1.6m tall football mannequin

**S12549** - 1.8m tall football mannequin



**S12350** - Flexible corner poles.

Height above ground: 1.5m.

With flag, flexible rubber connector, PVC tube, plastic socket and cap.




**S12510** - Set of 2 referee flags.



**S50810** - Ball carrying net 10 - 12 balls.

*\*Other capacities on request.*



**S12676** - Line marking machine for grassed sports field. Drawn by roller. Provided with a 12 liters tank.

**S12677** - White paint for line marker.



## ► Field accessories

**S12530** - Two-sided panel for player change.



**S12535GC** - Football boot brush 340x165mm.



With hot-dip galvanized steel support.  
3 fixations points.

**Synthetic grass implants for ground marking.**

**S12540-25** - Set of 25.

Synthetic grass implant designed  
to indicate locations for line marking.



**S12692** - Retractable football tunnel.

This football tunnel is ideal to provide  
protection for players and staff.  
Aluminium baseframe.  
Roof and sides made out of M2 flame  
retardant PVC fabric - colour and markings  
customizable on demand.  
Nylon wheels.  
Size: tailored to requirements.  
Length: up to 14.7m.  
Width: 1.5m to 3m.  
Height: standard - 2.3m.



## ► Turf testing equipment

**S90100** - Prism gauge.

Measures non-elongated  
free pile height (FIFA test  
method 2024-22).



**S91200** - Ball-roll ramp for testing FIFA quality pitches.

Telescopic support for rebound testing.



Compatible with FIH compliance tests.



Easy to transport:  
Foldable and lightweight structure - 6.9kg.



See *FIFA-Quality Programme for Football Turf Test Manual*



# FUTNET




## ► Competition



**S25232N** - Socketed posts.  
Ø90mm galvanized steel.

**S25942** - Net.  
Braided 3mm. Mesh 100mm.  
Dimensions: 9.0 x 0.9m.

## ► Training



**S25397** - Freestanding post.  
40x40mm steel frame.  
Dimensions: 6.0 x 1.1m.

**S25939** - Net.  
Twisted 2mm. Mesh 120mm.  
White PES band. Dimensions: 6.0 x 0.7m.


## ► Accessories

Aluminium sockets. For Ø90mm posts.

**S25363BR** - With caps.




**S25369BR** - With integrated caps.  
For multi-sport halls.





## KNOTTED NETS


**Standard colour:** Black. Other colours on request.




Twisted 2mm  
Single mesh




Twisted 2mm  
Double mesh



Braided 3mm  
Single mesh




Braided 4mm  
Single mesh



### ► Knotted nets. High density polyethylene, processed with UV treatment

#### • Senior nets

REF.	Certified FIFA	Thread	Mesh	Dimensions					Note
		Braided/Twisted	(mm)	A	B	C	D	Shape	
<b>S12820</b>		Twisted 2.0	DM 145	7.4	2.6	0.9	2.0	W.D.	-
<b>S12860</b>		Braided 3.0	SM 145	7.4	2.6	0.9	2.0	W.D.	-
<b>S12861</b>		Braided 3.0	SM 145	7.4	2.6	2.0	2.0	Box	-
<b>S12861RC</b>		Braided 3.0	SM 145	7.4	2.6	2.0	2.0	Box	Recycled net
<b>S12920</b>		Braided 4.0	SM 145	7.4	2.6	0.9	2.0	W.D.	-
<b>S12921</b>		Braided 4.0	SM 145	7.4	2.6	2.0	2.0	Box	-
<b>S12921TRI</b>		Braided 4.0	SM 145	7.4	2.6	2.0	2.0	Box	Tricolours
<b>S12822</b>		Twisted 2.0	DM 120	7.4	2.5	0.8	2.0	W.D.	-
<b>S12862</b>		Braided 3.0	SM 120	7.4	2.5	0.8	2.0	W.D.	-
<b>S12863</b>		Braided 3.0	SM 120	7.4	2.5	2.0	2.0	Box	-
<b>S12863RC</b>	X	Braided 3.0	SM 120	7.4	2.5	2.0	2.0	Box	Recycled net
<b>S12922</b>		Braided 4.0	SM 120	7.4	2.5	0.8	2.0	W.D.	-
<b>S12923</b>	X	Braided 4.0	SM 120	7.4	2.5	2.0	2.0	Box	-
<b>S12923BI</b>		Braided 4.0	SM 120	7.4	2.5	2.0	2.0	Box	Bicolours
<b>S12924*</b>	X	Braided 4.0	SM 120	7.4	2.5	2.0	2.0	Box	With PVC band
<b>S12930</b>		Braided 4.0	SM 120	7.4	2.5	0.8	2.0	W.D.	Freestanding goal



**\*S12924** - Braided net 4mm with PVC band.



These nets are reinforced at the top corners and on rear height with sewn band.  
The back tension corners are reinforced and have eyelets.  
These nets are used in many European stadiums.



# KNOTTED NETS

Complies with  
**EN 748**



SM: Single mesh.  
DM: Double mesh.

## • Junior nets

REF.	Thread	Mesh	Dimensions					Note
	Braided/Twisted	(mm)	A	B	C	D	Shape	
<b>S12713</b>	Twisted 2.0	SM 145	5.1	2.0	0.9	1.6	W.D.	-
<b>S12715</b>	Braided 3.0	SM 145	5.1	1.9	X	1.6	N.D.	Foldable goal S12043
<b>S12716</b>	Braided 3.0	SM 145	5.1	2.0	0.9	1.6	W.D.	-
<b>S12717*</b>	Braided 3.0	SM 145	5.1	1.9	0.6	1.6	W.D.	Foldable goal S12048
<b>S12718</b>	Braided 3.0	SM 145	5.1	2.0	X	1.6	N.D.	Socketed goal S12101, S12102
<b>S12719</b>	Braided 4.0	SM 145	5.1	2.0	0.8	1.6	W.D.	-
<b>S12724</b>	Braided 3.0	SM 120	5.0	2.0	0.8	1.6	W.D.	-
 <b>S12724RC</b>	Braided 3.0	SM 120	5.0	2.0	0.8	1.6	W.D.	Recycled net
<b>S12726*</b>	Braided 3.0	SM 120	5.0	1.9	0.8	1.6	W.D.	Foldable goal S12048
<b>S12729</b>	Braided 4.0	SM 120	5.0	2.0	0.8	1.6	W.D.	-




\*S12717, S12726: Specially designed for the PREMIUM folding goal ref S12048.

For an optimized installation, we add to this product:

(A) a top and bottom rear rope along its entire length,

(B) 2 elastic tensioners,

(C) Sides are made one mesh shorter to prevent the net from interfering with the rollers.



## • Minigoal nets

REF.	Thread	Mesh	Dimensions					Note
	Braided/Twisted	(mm)	A	B	C	D	Shape	
<b>S12701</b>	Twisted 2.0	SM 50	1.7	1.0	0.6	0.6	Box	S12008
<b>S12702</b>	Twisted 2.0	SM 120	2.0	1.7	0.8	0.8	Box	S12015
<b>S12708</b>	Braided 3.0	SM 145	3.2	2.0	0.9	1.0	W.D.	S12011
<b>S12709</b>	Braided 4.0	SM 145	3.2	2.0	0.9	1.0	W.D.	S12011
<b>S12729-3</b>	Braided 4.0	SM 120	3.1	2.0	0.8	1.6	W.D.	S12246
<b>S12729-4</b>	Braided 4.0	SM 120	4.1	2.0	0.8	1.6	W.D.	S12249


# KNOTLESS NETS

Complies with  
EN 748


**Standard colour:** Black, white and green.



Knotless 3mm  
Single mesh



Knotless 4mm  
Single mesh



Knotless 5mm  
Single mesh



W.D.: With depth



Box

SM: Single mesh.

## ► Knotless nets. Polypropylene processed with UV treatment

### • Senior nets

REF.	Certified FIFA	Thread	Mesh	Dimensions				
		Braided/Twisted	(mm)	A	B	C	D	Shape
<b>S12862KL</b>		Braided 3.0	SM 120	7.44	2.52	0.84	2.04	W.D.
<b>S12863KL</b>		Braided 3.0	SM 120	7.44	2.52	2.04	2.04	Box
<b>S12922KL</b>		Braided 4.0	SM 120	7.44	2.52	0.84	2.04	W.D.
<b>S12923KL</b>	X	Braided 4.0	SM 120	7.44	2.52	2.04	2.04	Box
<b>S12962KL</b>		Braided 5.0	SM 120	7.44	2.52	0.84	2.04	W.D.
<b>S12963KL</b>		Braided 5.0	SM 120	7.44	2.52	2.04	2.04	Box

### • Minigoal and junior nets

REF.	Thread	Mesh	Dimensions					Note
	Braided/Twisted	(mm)	A	B	C	D	Shape	
<b>S12712KL</b>	Braided 3.0	SM 120	4.08	1.80	-	1.44	N.D.	S12018
<b>S12762KL</b>	Braided 3.0	SM 120	6.12	2.16	0.84	1.56	W.D.	
<b>S12781KL</b>	Braided 4.0	SM 120	6.12	2.04	0.84	1.56	W.D.	
<b>S12782KL</b>	Braided 4.0	SM 120	6.12	2.16	0.84	1.56	W.D.	



The knotless net is naturally more flexible, which makes tensioning them easier.



Long and strong junction.

# TAILORED NETTING



Our offer includes a wide range of hand-made nets. This know-how was preserved and improved over 30 years and allows us today to offer nets of all shapes, colors and specifications.

By controlling manufacturing from raw material to finished product, thread diameter, type, mesh size etc. can be adjusted to your customer needs.




## Customizable nets for all sports

### ► Multi-color nets


This technique involves seamlessly knotting different color threads together to create shapes within the net.

Among the most common shapes, are stripes or checkered designs following club color coding.



### ► Logo netting

Three techniques are available depending on the complexity of the design:



1) Threading different colored threads together to make out the required shape or text.



2) Sewing shaped tarp directly to the net on either side.



3) Spray paint with a stencil, for some very specific nets and windbreaks.



# TEAM SHELTERS

## ► Standard range

Team shelters - Standard range are made of 60 x 30mm powder-coated aluminium profile. Available in 2 heights: 1.6m and 2.0m. Other dimensions and colors on request.



WMF World Cup UAE

**S11050G** - Height 1.6m, 5m long, 10 people.

**S11460G** - Height 2.0m, 6m long, 12 people.

Height	Length	Transparent rear and sides	All aluminium	Rear in Alu/PVC/Alu Transparent sides
1.6m	1.0m, 2 people	S11010G	S11110G	S11210G
	2.0m, 4 people	S11020G	S11120G	S11220G
	3.0m, 6 people	S11030G	S11130G	S11230G
	4.0m, 8 people	S11040G	S11140G	S11240G
	5.0m, 10 people	S11050G	S11150G	S11250G
	6.0m, 12 people	S11060G	S11160G	S11260G

Height	Length	Transparent rear and sides	All aluminium	Rear in Alu/PVC/Alu Transparent sides
2.0m	1.0m, 2 people	S11410G	S11510G	S11610G
	2.0m, 4 people	S11420G	S11520G	S11620G
	3.0m, 6 people	S11430G	S11530G	S11630G
	3.5m, 7 people	S11435G	S11535G	S11635G
	4.0m, 8 people	S11440G	S11540G	S11640G
	5.0m, 10 people	S11450G	S11550G	S11650G
	6.0m, 12 people	S11460G	S11560G	S11660G
	7.5m, 15 people	S11475G	S11575G	S11675G



Frame and seat 100% aluminium.



Roof panels are slotted at the top and bottom into grooved bars and held down along their entire length with plates.



Top bar with curved profile to prevent head injury and hide fasteners.



## TEAM SHELTERS



### Premium range

Premium range is made of 60 x 30mm powder-coated aluminium profile. All sides are impact resistant in order to protect people from balls or projectiles. Height: 2.0m. Other dimensions and colors on request.



**S11840G** - Length 5m, 8 people.



Height	Length	Polycarbonate sheet
2.0m	1.94m, 3 people	S11815G
	2.57m, 4 people	S11820G
	3.19m, 5 people	S11825G
	3.82m, 6 people	S11830G
	5.07m, 8 people	S11840G
	6.32m, 10 people	S11850G



Ergonomic VIP seating.



Adjustable height feet to provide optimal stability on any surface.



Top bar with curved profile to prevent head injury and hide fasteners.

# TEAM SHELTERS

## ► Choice of curved roof



### Polycarbonate.

Rear protections in impact resistant twin-wall polycarbonate panels - thickness 5mm



### Aluminium composite.

Rear protections in aluminium composite panels - thickness 3mm

## ► Choice of seating



3 aluminium slats



Seat without backrest



Seat with backrest



VIP seat

## ► Mobility option



**S11968** - Wheel kit for standard range shelters.  
Powder-coated steel  
with Ø260mm pneumatic wheel.



Team shelter with Ø100mm wheel, with breaks.  
For premium range.

## ► Covering option



Protection tarp



Padding for Team shelter



This tarp allows printing sponsor or club logos and will protect the seating from the elements when not in use

# HOW SAFETY TEST IS IMPORTANT AT SITE

## TESTING IN-HOUSE AND ON-SITE

At Sodex, we take compliance with industry standards seriously when it comes to testing.

Our engineering team strives to design equipment which complies with international standards, and goes above and beyond requirements.

This happens all through the development process: theoretical testing and prototype testing in-house.

For official equipment launch, we work with third-party testing bodies to carry out testing.


These tests ensure our offer is certified for your projects.



Testing is also recommended on site, to ensure all factors meet requirements for international standards.

Testing is also an ideal way to check if a 2nd hand product is still safe or not.

Ask our teams for testing guidelines to test your installations and guarantee your customers a compliant setup!





## 5-A-SIDE PITCH

### ► Enclosed pitch

Dimensions: 35x20m, height 5.9m.

Football goals: 4x2m, including football nets and shock-absorbing nets.

Lower part: Handrail with 1.1m panels wall and 1 entrance gate.

Upper part: Net, 100mm single mesh.



Roof net: 100mm single mesh.

Option: Padding for the intermediate poles.

Other sizes on request.

**S18526** - Socketed.

**S18536** - In-ground.



Rigid polyurethane panels.



Nets designed to avoid any gap with the panels.



**S18536** - Reinforcement gussets at the base of the posts.



# FIELD HOCKEY

Complies with  
EN 750



## ► International competition goals

### • Aluminium goal

Dimensions: 3.66 x 2.14m. Powder-coated. Front frame in 50x70mm aluminium tube. Aluminium frame (reinforced). 40x40mm backbars.




**S22258** - Freestanding anchored goal  
**FIH Class 2 certified.**



**S22261** - Freestanding weighted goal  
**FIH Class 1 certified.**



The hookless design gives the net optimal support to withstand heavy ball impacts.



Offset backbars (Top runback 1.5m) to avoid ball impacts and rebounds.

Back panels lined with thick E.P.D.M. rubber to effectively absorb impacts.




## ► National and regional competition goal

Dimensions: 3.66 x 2.14m. Powder-coated. Fastened by anchorings.

 Corner joints are welded directly onto the uprights.

### • Galvanized steel goal

**S22256PZW** - Front frame in 50x50mm galvanized steel tube.  
Wooden panels (reinforced) in the lower part.  
30x30mm backbars.



Double net hooks strengthen the fastening of the net.



18mm thick wooden panels reinforced by sturdy steel frame insure maximum durability and impact resistance.

**S22660** - Mobility kit option to make S22256PZW goal self-stable, in game mode



This kit is designed to fasten to the rear of the S22256PZW goal. Wheels slot into the uprights.  
It allows the goal to be used without ground anchors, as well as ease transport.  
Composed of a rear bar spaced from the goal, 2 wheels and 2 counterweights with rollers.

## ► Knotted nets. High density polyethylene, UV resistance

REF.	Thread	Mesh	Dimensions				Note
	Braided/Twisted	(mm)	A	B	C	D	
<b>S22822V</b>	Twisted 2.5	SM 45	3.74	1.80	1.13	1.31	Goal S22256PZW
<b>S22831</b>	Braided 3.5	SM 45	3.15	1.62	0.86	1.08	Goal S22061
<b>S22840</b>	Braided 3.5	SM 45	3.74	1.80	0.90	1.22	Goal S22258 & S22261

NEW

SM: Single mesh.





# FIELD HOCKEY

## ► Accessories



**S12350** - Flexible corner poles.

Height above ground: 1.5m.

With:

- Flag
- PVC tube
- Flexible rubber connector
- Plastic socket
- Cap.

**S22408** - Trolley.

Powder-coated steel structure.

For transporting rebound boards and indoor field hockey sideboards.



**S22301** - Rebound board for hockey 5s.  
Aluminium structure wrapped with foam.



**S22301CW476** - Counterweight 14kg for rebound board (1 counterweight recommended for every two boards).



**S22411** - Official Hockey Booth - Class 2.  
Side frame & front frame, sliding door system: 50x50mm tube.  
Non-slip wooden floor.  
Cabin dimension: 2.14 x 2.0m.



# FIELD HOCKEY

## ► Team shelter - Certified



Team shelters, 2m height, certified by FIH for international competitions.  
Structure in 60 x 30mm powder-coated aluminium.

### • Standard model



**S11430G** - 3m long for 6 people.  
Transparent rear and sides.



**S11530G** - 3m long for 6 people.  
All aluminium.



**S11630G** - 3m long for 6 people.  
Rear in alu/pvc/alu.  
Transparent sides.



Height	Length	Transparent rear and sides	All aluminium	Rear in Alu/PVC/Alu Transparent sides
2.0m	3.0m, 6 people	S11430G	S11530G	S11630G
	3.5m, 7 people	S11435G	S11535G	S11635G
	4.0m, 8 people	S11440G	S11540G	S11640G
	5.0m, 10 people	S11450G	S11550G	S11650G
	6.0m, 12 people	S11460G	S11560G	S11660G
	7.5m, 15 people	S11475G	S11575G	S11675G

### • Premium model



**S11840G** - Length 5m, 8 people.

Height	Length	REF.
2.0m	3.8m, 6 people	S11830G
	5m, 8 people	S11840G
	6.3m, 10 people	S11850G



 VIP ergonomic seating with UV protection.



 Adjustable height feet to provide optimal stability on any surface.



 Top bar with curved profile to prevent head injury and hide fasteners.




# FIELD HOCKEY

## ► Outdoor mobile bleachers

Our bleachers are made out of 40mm powder-coated square steel tubing. Seats and back-bars in 80x20mm powder-coated aluminium. Floorboard in antislip wood. 4 swivel wheels (2 of which are braked) per module ease movement and storage.



Bleachers		Benches	Stairs	Railings
2 rows	Ref.	<b>S35620PZG</b>	<b>S35621PZG</b>	-
	Capacity	8 people	2 people	-
3 rows	Ref.	<b>S35630PZG</b>	<b>S35631PZG</b>	<b>S35632PZG</b>
	Capacity	12 people	2 people	-
4 rows	Ref.	<b>S35640PZG</b>	<b>S35641PZG</b>	<b>S35642PZG</b>
	Capacity	16 people	2 people	-



Option:

To further secure these bleachers, risers are available on demand.

### STANDARDS

Our stairs are 1.2m wide, in order to ease crowd flow, allowing 2 rows of spectators to exit simultaneously, complying with standards requirements.



### RESISTANCE

The last row is reinforced in order to withstand weight of the whole structure in storage position.



# INDOOR HOCKEY

## ► Goal



NEW

**S22061** - Weighted aluminium indoor hockey goal. FIH compliant. Dimensions: 3.0 x 2.0m. Powder-coated. Front frame in 80x80mm.



NEW

**S22831** - Knotted net, for S22061. BR 3.5mm, SM 45mm. HDPE, UV resistance.

## ► Field accessories

**S14715** - Scoring table 1.50m. For 3 people. With 4 non-marking wheels.



**S14725** - Scoring table 2.50m. For 5 people. With 5 non-marking wheels.

**S30556G** - Galvanized steel bench, with aluminium seating. Powder-coated. Length: 2m.




Welded plates under the feet to prevent puncturing the ground.

### • Field perimeter

**Indoor field hockey sideboards** - 10cm height. Allows the ball to bounce consistently and evenly.

**S22321** - Structure made of wood with a metal core.

**S22331** - Structure made of wood with an aluminium core.



 This sideboard works on both sides and is reversible. It allows for a doubled lifespan of the product!



**S22408** - Trolley.

Powder-coated steel structure.

For transporting rebound boards and indoor field hockey sideboards.



**S22451** - Hockey goal backboard.

Side board, 15mm plywood.

Back board, 15mm plywood.



Ideal for fixing onto an existing handball goal.



Secure bracket to improve the board's stability on the goal.





# FUTSAL


Complies with  
EN 16579

## ► Mobile aluminium futsal goals

Dimensions: 3.0 x 2.0m. Powder-coated. Front frame in Ø80mm. Foldable backbars and ground bars made of 60x30mm and 40x40mm.

### • Standard model

**S16112** - Goal with ground anchors.



### • Premium model

**S16121** - Mobile goal with counterweights fixed on the rear part.



## ► Knotted net. HDPE, UV resistance


REF.	Thread	Mesh	Dimensions			
	Braided/Twisted	(mm)	A	B	C	D
<b>S16862W</b>	Braided 3.0	SM 100	3.1	2.0	0.8	1.0

SM: Single mesh.

## Standard and premium features



Depth of the backbars has been widened (1.2m) to prevent the ball from hitting the arches and rebounding out immediately.




Simple goal, easy to transport and store thanks to its fully foldable aluminium structure.



Rubber padded stoppers on hinges prevent arches from folding outwards.

## Premium features



The rubber counterweights stabilize the goal and limit rebounds. They are fixed to the rear frame, making them an integral part of the goal.



# CRICKET


## ► Cage

**S49103** - Freestanding cricket cage.

Used for training and practicing batting skills.

Dimension: 3 x 3 x 9m.

Net in braided PP 3mm, single mesh 45mm.



*\* Dimensions and the number of bays can be adapted.*



The connectors are made of moulded aluminium which make it strong and easy to assemble.

## ► Accessories

**S49470EZ** - Set of 4 positions anchors.

Galvanized steel for Ø42mm tube.





# RUGBY

Complies with  
EN 16579

## ► Posts

Posts in Ø101.6mm powder-coated aluminium. World Rugby compliant.  
Standard international size: Goal post distance: 5.6m. Crossbar height: 3.0m.



S20088 + S20401

### • Height 8m

**S20082** - Socketed.



### • Height 11m

**S20112** - Socketed.



### • Height 15m

**S20148** - Hinged.



## ► 2 in 1 rugby and football goal



S20209

**S20209** - Senior football and rugby combo goal.

In aluminium.

7.32x2.44m football goal in 120x100mm.  
6m high rugby posts in Ø80mm.

## ► Accessories


### Aluminium ground sockets for rugby goal.

With caps. Total depth: 1200mm.

Usable depth: 800mm.

**S20320** - For Ø101.6mm tube.

**S20330** - For 120x100mm tube.



**S20350** - Flexible flag post.

Height above ground: 1.5m.

With flag, flexible rubber connector, PVC tube, plastic socket and cap.



S20350 + S20451



### Protection pads.

**S20401** - 2m high.

Used for post from 100mm to 114mm.  
External dimensions: 300x300mm.

**S20411** - 2m high.

Used for post from 100mm to 114mm.  
External dimensions: 400x400mm.


**S20451** - Flag post padding, 1m high.

Used for flag post S20350.  
External dimensions: 120x120mm.

Option: Logo or advertisement.



For a perfect fit, all our protection paddings are equipped with 2 fastening methods (A & B).



**A** 1 velcro strip sewn on the whole height.

**B** 3 horizontal velcro strips evenly spaced out.



# NETBALL



**S15030W** - School socketed post, adjustable ring height.

Ring height: from 2.40m to 3.05m.

Delivered with ring and net.

**S15045** - School mobile post, adjustable ring height.

Ring height: from 2.10m to 3.05m.

Delivered with: Ring, net.

Option: Ground fixation / 30 or 45kg counterweight.



Specific dual fixation plate welded to post in order to securely fasten the solid steel ring.

## S15030W & S15045

**S15250W** - Competition socketed post, 1 playing height.

Ring height: 3.05m.

Delivered with: Ring, net and aluminium socket.

Option: Protection pad. 2.90m high.



Raised handle allows to adjust ring height and blocking.  
Clamping screw allows to further secure the blocking.

**S15305EZW** - Netball ring.

Without reinforcing arm.





## 3X3 COMPETITION GOALS

Complies with  
EN 1270



FIBA-certified goals for high-level 3x3 competitions.

### ► Foldable mobile goal



#### • Projection 2.25m

This basketball goal has an extension system that allows for safe and easy deployment and storage.

**S14645PZN** - Mobile & foldable FIBA-certified basketball goal.

Powder-coated steel with anti-corrosion coating.

Ring height: 3.05m - Projection: 2.25m.

Ring height: 2.60m - Projection: 1.00m.

Equipped with 6 non-marking wheels  
(2 double fixed wheels and 2 swivel wheels).

Delivered with:

- Transparent backboard 1.80x1.05m, 15mm thickness.

- Competition break-away ring 105kg.

- Antiwhip net.


- Backboards edge padding.

- Protective padding for the structure on all 3 sides.


Option: Shot clock BTX6002 FIBA 3X3.



Ideal for outdoor use.



Position at 3.05m



Position at 2.60m



Storage position



The pedestal feet are fully adjustable in order to compensate possible court irregularities.



Locking bolt on the extensible strut can be locked in playing position thanks to a padlock (not included).

# 3X3 COMPETITION GOALS

## ► Fixed standard goals

### • Projection 1.65m

This basketball goal is made of 120x120mm powder-coated steel with an anti-corrosion coating, FIBA certified.

Ring height: 3.05m

Projection: 1.65m.


Delivered with:

- Fiberglass backboard 1.80x1.05m.
- Break away ring 105kg.
- Net Ø5mm.
- Backboard edge padding.
- Protection pads for top and bottom posts.

**S14120PZN** - Socketed.

**S14130PZN** - Base-plate.

Anchor kit S14442EZN.



## Standard and premium features



Adjustable struts help set & reinforce the fixation of the backboard.



Competition basketball break-away ring, release calibrated at 105kg.



Protection pads included top and bottom posts.

## ► Fixed premium goals



### • Projection 2.25m

This basketball goal is made of 150x150mm and 140x140mm powder-coated steel with an anti-corrosion coating, FIBA certified.

Ring height: 3.05m


Projection: 2.25m.

Delivered with:

- Transparent backboard 1.80x1.05m.
- Break away ring 105kg.
- Net Ø5mm.
- Backboard edge padding.
- Protection pads for top and bottom posts.



Transparent backboard. Increases spectators visibility of the games.



2-part structure with 150x150mm tube for easy installation.

**S14226PZN** - Socketed.

**S14236PZN** - Base-plate.

Anchor kit S14442EZN.



## 5x5 INDOOR COMPETITION GOALS

This basketball goal range is designed for high level international competition.

Design and production follow FIBA regulations level 2.

Extension spring mechanism is designed for balanced and effortless lifting/lowering of the unit.

Fixation by anchoring systems or self-stable (with optional counterweight).

### ► Mobile and foldable basketball goals

- Projection 3.25m



**S14650** - Mobile & foldable FIBA-certified basketball goal

Ring height: 3.05m - Projection: 3.25m.


Ring height: 2.60m - Projection: 2.10m.

Equipped with 8 non-marking wheels


(2 double fixed wheels and 2 double swivel wheels).

Delivered with:


- Transparent backboard 1.80x1.05m. 15mm thickness.
- Break away ring 105kg.
- Antiwhip net.
- Backboards edge padding.
- Protective padding for the structure on all 3 sides.



Position at 3.05m




Position at 2.60m



Storage position



Counterweights and extension springs are fully covered at all times to prevent injuries or vandalism.



The pedestal feet are fully adjustable in order to compensate possible court irregularities.



Locking bolt on the extensible strut can be locked in playing position thanks to a padlock (not included).



Non-marking PU wheels allow easy transport and handling. They are doubled in order to optimise weight distribution to prevent any possible damage to courts due to the weight of the goal

# 5x5 INDOOR COMPETITION GOALS

## • Projection 2.25m

**S14645** - Mobile & foldable FIBA-certified basketball goal

Ring height: 3.05m - Projection: 2.25m.






Ring height: 2.60m - Projection: 1.00m.

Equipped with 6 non-marking wheels (2 double fixed wheels and 2 swivel wheels).

Delivered with:

- Transparent backboard 1.80x1.05m. 15mm thickness.
- Break away ring 105kg.
- Antiwhip net.
- Backboards edge padding.
- Protective padding for the structure on all 3 sides.



## • Projection 1.20m

**S14642** - Foldable mobile goal.

Ring height: 3.05m - Projection: 1.20m.



Equipped with 4 non-marking wheels. (2 fixed wheels and 2 swivel wheels).

Delivered with:

- Fiberglass backboard 1.80x1.05m.
- Break away ring. 105kg.
- Net Ø5mm.

Option:

- Backboards edge padding S14703.
- Protective padding for the structure on all 3 sides (not included).





## CEILING SUSPENDED GOALS




Our engineering dept. will study your projects taking into account the type of structure, dimensions & anchoring points.

### ► For main courts

For sports halls with a suspension height below or equal to 10m, certified FIBA level 2.

**S14750** - With fixed height frame.



**S14751** - FIBA-certified with adjustable height frame.



### ► For side courts

This goal / backstop is ideal for situations where a standard wall solution is not an option (for example, due to bleachers or the need for considerable open space).



Used with a 1.20x0.90m panel (not included) and single bracing.


**S14760** - With fixed height frame.

**S14761** - With adjustable height frame.




## ► Ceiling suspended structure accessories

**S14740** - Electric winch with key switch.  
Not disengageable.



**S14741** - Electric winch with key switch.  
Not disengageable.



**S14742** - Electric winch with key switch.  
Disengageable.



### MOTOR HOUSING

Depending on the design of the gymnasium, the model is designed for ceiling or wall mounted.



Model	Torque (Nm)	Intensity	Speed (tr/min)	Speed (m/min)	Power (W)	Disengageable
<b>S14740</b>	120	1.8	12	4.14	400	No
<b>S14741</b>	250	3.2	8	2.76	680	No
<b>S14742</b>	250	3.2	8	2.76	680	Yes

**S14743** - Manual winder.



**S14744** - Fall arrester.  
Length: 10 meters.  
Maximum load 250kg.



**S14745** - Bracing kit for ceiling suspended goal without pulley. Composed of: Ø6mm cable, wire thimbles, quick links, cable clamp, turnbuckle (with locking nuts).



**S14746** - Pulley block for ceiling suspended basketball goal.  
For Ø7mm max cable.





## WALL MOUNTED GOALS

### ► Wall mounted side foldable goals

Structure in 60x60mm and 50x50mm powder-coated steel.

2 holding cables are located above the structure for added safety.

Ideal for sports hall walls without stands, nor windows and close to the court lines.

Options: crank handle S14501, backboard, ring, net and backboards edge padding.

Projection: Tailored and foldable right or left according to the sports hall. (To be specified on order)

**S14185** - With fixed height frame.



**S14191** - FIBA-certified Level 2.  
With adjustable height frame.



Anchoring points at the end of the swingarms allow securing the structure to the wall thanks to steel cable.



One diagonal self locking strut gives the structure optimal rigidity to prevent any horizontal movement in games or during storage.

### ► Backboards, rings, paddings and nets for ceiling suspended and wall mounted side foldable goals

**S143350** - 4 reinforcements ring.  
Steel hooks.

**S143640** - Break away ring. 105kg.  
Steel hooks.

**S143650** - Break away ring. 105kg.  
Double ring.

**S14501** - Crank handle.

**S14520** - Fiberglass backboard 1.20x0.90m.  
25mm thickness.

**S14530** - Fiberglass backboard 1.80x1.05m.  
25mm thickness.

**S14535** - Transparent backboard 1.80x1.05m.  
15mm thickness.

**S14701** - Bolted backboard edge padding in polyurethane.  
For 40/45mm thick frame + backboard.

**S14702** - Bolted backboard edge padding in polyurethane.  
For 50/55mm thick frame + backboard.

**S14703** - Velcro backboard edge padding in PVC.  
For 40/45/50/55mm thick frame + backboard.

**S14855** - Antiwhip basketball net (complies with FIBA).  
For competition.

**S14860** - 6mm basketball net with fringe.  
For competition.

# WALL MOUNTED GOALS

Complies with  
EN 1270

## ► Wall fixed goal


Our wall fixed goals are made of powder-coated steel.  
Projection: 0.60m. Delivered with: Backboard S14522;  
Ring S14333O; Net S14850.  
Ideal for sports hall walls close to the court lines.

**S14111** - Standard wall fixed goal.  
Ring height: To be defined during installation.



Reinforced backplate of the wall over half of its height.

**S14115EZW** - Adjustable wall fixed goal by endless screw.  
Ring height: 3.05m/2.60m.  
Option: Crank handle S14501.



Height adjustment from 2.6m to 3.05m by crank handle.





# MOBILE OUTDOOR GOALS

Complies with  
EN 1270

## ► Portable non-folding goal

The structure is made of powder-coated steel. The base has wide wheels and height-adjustable support feet. Protective padding for the structure on 3 sides and for the backboard not included (except S14635). Fixation by anchoring systems. Safety counterweights or full counterweights optional (same S14645).

**S14632N** - Ring height: 3.05m - Projection: 1.20m.

Delivered with: - Backboard S14520  
- Ring S14330O  
- Net S14850.

**S14633N** - Ring height: 3.05m - Projection: 1.60m.

Delivered with: - Backboard S14520  
- Ring S14330O  
- Net S14866.

**S14634N** - Ring height: 3.05m - Projection: 2.25m.

Delivered with: - Backboard S14530  
- Ring S14330O  
- Net S14866.

**S14635N** - FIBA-certified goal.

Ring height: 3.05m - Projection: 2.25m.  
Delivered with: - Backboard S14530  
- Ring S14365O  
- Net S14866.  
- Edge padding  
- Front protection, upper protection & side protection.



## S14634N & S14635N



The struts allow easily setting the backboard to a perfect 90° angle, while reinforcing the fixation and the holding of the backboard.



The pedestal feet are fully adjustable in order to compensate possible court irregularities.

## ► School goals

Mobile goal on 4 wheels. Delivered with: Fan shaped backboard, ring, net Ø5mm.

**S14621** - Ring height 2.6m/3.05m.


Option: Safety counterweights for transport (38kg).

**S14637** - Ring height: 1.20m/2.60m.


Include safety counterweights for transport (78kg).



Option: Crank handle S14501



The dual height adjustment allows for adjustment from 1.2 to 2.6m.



Integrated counterweights to stabilise goal during transport.

# FIXED OUTDOOR GOALS

Complies with  
EN 1270

## ► Structure in 120x120mm hot-dip galvanized steel



**S14215GC**

**S14205GC** - Socketed.  
Ring height: 3.05m.  
Delivered with: Backboard S14530;  
Ring S14335O; Net S14850.  
Option: Socket S14462.

**S14215GC** - On base-plate.  
Ring height: 3.05m.  
Delivered with: Backboard  
S14530; Ring S14335O; Net  
S14850.  
Option: Anchor kit S14442EZM.



## ► Structure in 100x100mm hot-dip galvanized steel

### • Projection: 1.20m



**S14025GC**

**S14010GC** - Socketed.  
Ring height: 2.60m.  
Delivered with: - Backboard S14520  
- Ring S14333O  
- Net S14850.  
Option: Socket S14460.

**S14017GC** - On base-plate.  
Ring height: 2.60m.  
Delivered with: - Backboard S14520  
- Ring S14333O  
- Net S14850.  
Option: Anchor kit S14442EZM.

**S14020GC** - Socketed.  
Ring height: 3.05m.  
Delivered with: - Backboard S14520  
- Ring S14333O  
- Net S14850.  
Option: Socket S14460.

**S14025GC** - On base-plate.  
Ring height: 3.05m.  
Delivered with: - Backboard S14520  
- Ring S14333O  
- Net S14850.  
Option: Anchor kit S14442EZM.



## FIXED OUTDOOR GOALS

 Complies with  
EN 1270

### ► Structure in 100x100mm galvanized steel

- Projection: 0.60m



**S14024**

#### **S14019** - Socketed.

Ring height: To be defined during installation (3.05m/2.6m).

Delivered with: - Backboard S14522

- Ring S14333O

- Net S14850.

Option: Socket S14460.

#### **S14024** - On base-plate.

Ring height: To be defined during installation (3.05m/2.6m).

Delivered with: - Backboard S14522

- Ring S14333O

- Net S14850.

Option: Anchor kit S14442EZN.

### ► Hot-dip galvanized steel

- Structure in 140x140mm



#### **S14090GC** - On base-plate, 2 playing heights (3.05m/2.60m).

Ring height: 3.05m - Projection: 1.20m.

Ring height: 2.60m - Projection: 1.20m.

Delivered with: - Backboards 1.2x0.9m

- Fixed rings

- Net Ø5mm.

Option: Anchor kit S14442EZN.



Possibility of having 2, 3 or 4 rings, on request.

# ACCESSORIES

## ► Court accessories

**S14501** - Crank handle. **S14715** - Scoring table 1.50m. For 3 people. With 4 non-marking wheels.



**S14725** - Scoring table 2.50m. For 5 people. With 5 non-marking wheels.





**S30530** - Foldable ball cart. Made out of aluminium. Capacity 18 balls.



**S30532** - Steel ball trolley. Capacity: 20 balls.



Avoids any breakage of the bars.



Securable with a padlock (not included).

**Galvanized steel bench, with aluminium seating. Powder-coated. Length 2m.**

**S30552G** - Standard feet.


**S30556G** - Wider footings to protect softer surfaces.



Welded plates under feet to prevent floor damage.

## ► Post accessories

**S14442EZN** - Anchor kit 250x250mm. With thickness of 10mm.



**Galvanized steel sockets with caps.**

**S14460** - For 100x100mm goals.

**S14462** - For 120x120mm goals.

**S14464** - For 140x140mm goals.

**S14466** - For 150x150mm goals.



**Protection pads, 2m high.**

**S20401** - Used for 100x100mm post. External dimensions: 300x300mm.

**S14509** - Used for 120x120mm post. External dimensions: 280x280mm.


**S14511** - Used for 140x140mm post. External dimensions: 300x300mm.

**S30401** - Used for post from Ø80mm to 110mm. External dimensions: 200x200mm.

**S20411** - Used for post from Ø100mm to 114mm. External dimensions: 400x400mm.



For a perfect fit, all our protection paddings are equipped with 2 fastening methods (A & B).



**A** 1 velcro strip sewn on the whole height.


**B** 3 horizontal velcro strips evenly spaced out.




## ACCESSORIES

### ► Backboards


**S14520** - Fiberglass backboard 1.20x0.90m.




**S14522** - Fiberglass fan shaped backboard 1.12x0.78m.



**S14530** - Fiberglass backboard 1.80x1.05m.



**S14535** - Transparent backboard 1.80x1.05m. 15mm thickness.



**S14536** - Tempered glass backboard 1.80x1.05m. 12mm thickness.



**S14539** - Tempered glass backboard 1.80x1.05m. 12mm thickness. With aluminium frame and struts.



**Option:** Logo or advertisement.



#### Customizable backboard

Example: Acrylic backboard 1.8x1.05m - Limited edition.  
**Sodex Sport Ft. Rich Arts.**



Fully customizable, this backboard can be used as a communication or aesthetic support.




**S14701** - Bolted edge padding in polyurethane. For 40/45mm thick frame + backboard. Available in blue and black.

**S14702** - Bolted edge padding in polyurethane. For 50/55mm thick frame + backboard. Available in blue, red and black.

**S14703** - Velcro edge padding in PVC. For 40/45/50/55mm thick frame + backboard.

Easy padding replacement. Only the velcro remains glued to the frame.



**S14702**

# ACCESSORIES

## ► Basketball rings

### • Anti-vandalism ring

 Upper part is rounded. Perfect for a city court.

**S14310** - Anti-vandalism ring.



**S14310GC** - Anti-vandalism ring. In hot-dip galvanized steel.



**S14316** - Anti-vandalism ring. With cut-out hooks.



### • Standard ring

**S14333O** - Standard ring. Steel hooks.



**S14335O** - 4 reinforcements ring. Steel hooks.



### • Break away ring

**S14364O** - Break away ring. 105kg. Steel hooks.



**S14365O** - Break away ring. 105kg. Double ring.



### STANDARDS

#### **S14364O and S14365O**

1. Factory calibrated to 105kg.
2. Maximum flexion of 30° downwards.
3. Protection to stop finger entrapment.

## ► Nets

Our nets are white with 12 fastening rings. Delivered with fixation cord.

**S14855** - Antiwhip basketball net (complies with FIBA).



**S14860** - 6mm basketball net with fringe.



**S14870** - Basketball nets in 5mm Galvanized steel cable.



Ideal for city stadiums.

REF.	Material	Thread	Use	Complies with	Note
		Diameter			
<b>S14825</b>	Polypropylene	2.5mm	Training	-	-
<b>S14850</b>	Polypropylene	5.0mm	Competition	EN 1270	-
<b>S14855</b>	Anti-whip + Polyester	6.0mm	Competition	EN 1270	FIBA compliant
<b>S14860</b>	Polypropylene	6.0mm	Competition	EN 1270	With fringe
<b>S14866</b>	Polypropylene	6.0mm	Competition	EN 1270	Without fringe
<b>S14870</b>	Galvanized steel	5.0mm	Outdoor	-	Coated steel



# ELECTRONIC SCOREBOARDS AND TIMERS

**Bodet**  
Sport

AN EXTENSIVE RANGE OF ELECTRONIC SCOREBOARDS  
ALL SPORTS, ALL ENVIRONMENTS

**Digit size:** 15cm / 20cm / 30cm.

**Viewing distance:** 60m / 90m / 120m

**Display features available:** Game clock - Time, Game clock stop indicator, Scores, Period number, Time out countdown, Time out indicators, Team fouls, Individual fouls, Penalty times, Programmable teams' names, Results sets, Sets won, Programmable players' number, Points per player, Names of players.

**Accessories available:** Touch screen keyboard, 24s shot clocks, yellow & red strip, Ball possession arrow, Wireless whistle system.

## Scoreboard



**8015 ALPHA** - Viewing distance 60m.

Size (L x H x W in mm) 1200 x 700 x 65.5.  
Digit height: 15cm.  
Integrated horn.  
Timer / local time.  
Score.  
Time-out indicator.  
Period number.  
Penalty indicator / Team fouls.  
Sets won.



**8T120 ALPHA** - Viewing distance 90m.

Size (L x H x W in mm) 2000 x 1000 x 65.5.  
Digit height: 20cm.  
Integrated horn.  
Timer / local time. Score.  
Time-out indicator.  
Period number.  
Penalty indicator / Team fouls.  
Sets won.  
Programmable team's name.  
1 penalty countdown per team.



**8T125 ALPHA** - Viewing distance 120m.

Size (L x H x W in mm) 2000 x 1000 x 65.5.  
Digit height: 25cm.  
Integrated horn.  
Timer / local time. Score.  
Time-out indicator.  
Period number.  
Penalty indicator / Team fouls.  
Sets won.  
Programmable team's name.  
1 penalty countdown per team.



**8T125-F6 ALPHA** - FIBA Level 2.

Viewing distance 120m.  
Size (L x H x W in mm) 2930 x 1000 x 65.5.  
Digit height: 25cm.  
Integrated horn.  
Timer / local time. Score.  
Time-out indicator. Period number.  
Penalty indicator / player fouls.  
Sets won. Programmable team's name.  
1 penalty countdown per team.  
Individual fouls with programmable player numbers.

## ► BTX scoreboard

**BTX6015 BASKET 3x3** - The set includes:



### BTX6015 scoreboard.

Size (L x H x W in mm): 1079 x 385 x 90.5.  
Digit height: 15cm.  
Viewing distance: 60m.  
Timer / local time. Score.  
Time-out indicator.  
**Keyboard.**

## ► Display possession



### Backboard led strips

Perimeter Red LED strip activated at the end of each period.  
Yellow LED strip activated when possession time reaches zero.



### Possession arrow

Size (L x H in mm): 390 x 215.  
Ball possession indicator panel.  
Position on the scoring table.

## ► Shot clock

### SHOT CLOCK BTX6002 FIBA 3X3

Size (L x H x W in mm): 440 x 405 x 86.  
Display: 12 seconds shot clock  
Viewing distance: 90m.



### SHOT CLOCK 6002

Size (L x H x W in mm): 440 x 400 x 80.  
Display: 14/24 seconds.  
Viewing distance: 90m.




### SHOT CLOCK 6008

Size (L x H x W in mm): 650 x 590 x 650.  
4 sided shot clock. 1/10 second.  
Display: 14/24 seconds and game clock.  
Viewing distance: 120m.



### SHOT CLOCK 8006

Size (L x H x W in mm): 720 x 610 x 65.  
Single or double-sided display. 1/10 second. Display: 14/24 seconds and game clock.  
Viewing distance: 120m.



**S14665** - Support 6002 for fixation on basketball goal.

### POSSESSION CONSOLE

Shot clock keyboard.  
**(version BT6000).**



### POSSESSION CONSOLE

Shot clock keyboard for Scorepad.



## ► Keyboard for scoreboards



### SCOREPAD

Size (L x H in mm): 380 x 200.  
Touchscreen display: 7 inches.  
Wireless or wired communication.  
Multisport keyboard.



# HANDBALL

Other colours  
on request



Complies with  
**EN 749**

## ► Competition goals. Standard range


Dimensions: 3.0 x 2.0m. Powder-coated. Front frame in 80x80mm aluminium or galvanized steel. 30x30mm backbars and ground bars. Delivered without ground socket.




In order to reduce installation time, our goals come with pre-installed net hooks.



**S16212**




Rubber pads protect the ground and stabilise the goal on uneven ground.



Increased solidity thanks to the top and bottom reinforcements.



Painted in red and white (no adhesive) on all 4 sides of the goal.



For **fully welded goals**:  
Optimal rigidity thanks to fully welded front frame.

### • Mobile goals

**S16211** - Galvanized steel front frame.

**S16212** - Aluminium front frame.



**S16231** - Fully welded galvanized steel front frame.



**S16232** - Fully welded aluminium front frame.

### • Socketed goals

**S16216** - Galvanized steel front frame.

**S16217** - Aluminium front frame.



**S16236** - Fully welded galvanized steel front frame.



**S16237** - Fully welded aluminium front frame.



## ► Competition goals. Premium range

Dimensions: 3.0 x 2.0m. Powder-coated. Front frame in 80x80mm aluminium or galvanized steel. 50x50mm backbars and ground bars. Delivered without ground socket.



In order to reduce installation time, our goals come with pre-installed net hooks.



**S16233**




 Rubber pads protect the ground and stabilise the goal on uneven ground.



 Sturdy rear frame. Backbars + high and low stabilization bars in 50x50mm.



 Painted in red and white (no adhesive) on all 4 sides of the goal.



 For fully welded goals:  
Optimal rigidity thanks to fully welded front frame.

### • Mobile goals

**S16213** - Galvanized steel front frame.

**S16214** - Aluminium front frame.

 **S16233CPTcIHF** - Fully welded galvanized steel front frame.



 **S16234** - Fully welded aluminium front frame.

### • Socketed goals

**S16218** - Galvanized steel front frame.

**S16219** - Aluminium front frame.

 **S16238** - Fully welded galvanized steel front frame.

 **S16239** - Fully welded aluminium front frame.



## ► Wall folding goals

Dimensions: 3.0 x 2.0m. Powder-coated. Front frame in 80x80mm galvanized steel. Foldable arches in 50x50mm et 40x40mm. 2 wheels per goal. Locking system for storage and game position.



In order to reduce installation time, our goals come with pre-installed net hooks.

### • Standard range

**S16261** - Adjustable depth before goal line (1.0m - 1.4m).

**S16266** - Adjustable depth before goal line (1.4m - 2.1m).

### • Premium range. Fully welded front frame.



**S16251** - Adjustable depth before goal line (1.0m - 1.4m).




**S16256** - Adjustable depth before goal line (1.4m - 2.1m).




**S16251**



**S16251**




Fully welded front frame  
(only for S16251 and  
S16256 goals).



When the wheels are lifted  
off the ground, the weight  
of the goal sits on the  
uprights which provides  
perfect rigidity.



In order to further  
stabilise the goal, pins  
secure the front frame  
to the ground.



Vertical reinforcement  
bar to stiffen the arches.  
Foldable arches  
in 50x50mm and  
40x40mm for greater  
solidity.

### • Option for wall folding handball goals



**S16342** - Optional support posts for wall folding goals.

When it is not possible to fix the goal against a wall, these  
two ground bolted posts allow the goal to be installed.




## ► Foldable aluminium competition goals

Dimensions: 3.0 x 2.0m. Powder-coated. Front frame in 80x80mm aluminium. Backbars and ground bars made of 60x30mm and 40x40mm aluminium.





In order to reduce installation time, our goals come with pre-installed net hooks.

**S16271** - Standard range.  
With foldable aluminium arches.  
Painted red and white (no adhesive).




**S16274** - Premium range.  
Hookless net fastening.  
With specific groove for hookless net fastening.  
With foldable aluminium arches.  
Painted red and white (no adhesive).



### Standard and premium features




Top and bottom hinges are fitted with a rubber-padded mechanical stop in order to insure maximum rigidity and prevent the uprights from folding outwards.



Rubber padding mounted under the goal to compensate ground irregularities.



Double hinge allows a solid and effective junction between the crossbar and the uprights at ground level.



No hook breakage thanks to the hookless net fixation.

### Premium features




## ► Goal with 180° arches

**S16241** - Dimensions: 3.0 x 2.0m. Powder-coated. Front frame in 80x80mm galvanized steel. Backbars made of 50x50mm.

 In order to reduce installation time, our goals come with pre-installed net hooks.



**A**




**B**



**A**

 The arches' feet can be adjusted in height to make them level on different types of ground.



**B**

 These arches can open to 180° to line-up with existing non-standard anchors.

## ► School goals

Dimensions: 3.0 x 2.0m or 2.4 x 1.7m. Front frame in 80x40mm powder-coated galvanized steel. Backbars made of 30x30mm. Delivered without ground socket.



Corner joints are welded directly onto the crossbar.



**S16032**

• Dimensions: 2.4 x 1.7m.

**S16011** - Mobile.

**S16016** - Socketed.

• Dimensions: 3.0 x 2.0m.

**S16032** - Mobile.

**S16037** - Socketed.

# ACCESSORIES

## ► Goal accessories

Removable anchors.

**S16330EZW-01** - For standard mobile goal 30x30mm. Other sizes available for 50x50mm, 60x30mm, folding arches.




**S16370EZ** - J-Bolt anchoring.




**S16380EZ** - Multi-directional anchoring.





**S16541** - Galvanized steel sockets with caps. For 80x40mm school goals.



**S16557BR** - Aluminium socket with caps. For 80x80mm competition goals.




**S16559BR** - Aluminium sockets. With integrated caps. For multi-sport halls, 80x80mm goals.



Cap-slot with added surfacing up to 12mm thickness (to be applied to the cover by the floor installer).

**S16567** - Height regulator. For 80x80mm socket.



## ► Court accessories

**S16350** - Tchouckball 1x1m.




Angle adjustment up to 90°.

**S16408** - Transport trolley.

Designed to support aluminium foldable handball goals and futsal (2 pairs).



**S16583** - PVC tarpaulin for target practice.



Galvanized steel bench, with aluminium seating. Powder-coated. Length 2m.

**S30552G** - Standard feet.

**S30556G** - Wider footings to protect softer surfaces.



The welded plates under the feet to prevent puncturing the floor.

**S30532** - Steel ball trolley. Capacity 20 balls.



Avoids any breakage of the bars.



# ACCESSORIES

## ► Net accessories



Designed to be replaced without having to dismantle the goal.



**S12360** - 1 fixing point hook.

**S12361** - 2 fixing points hook.

**S12363** - 1 fixing point hook+ adhesive.

**S12364** - Clip-on hook for aluminium goal.



**S12365** - Modern design clip-on hook for aluminium goal.



Secure the net inside the aluminium profile.



**S16625** - Sandows. Length 5m.

This system allows better ball impact absorption and improves the longevity of nets.

## ► Nets


Our nets are processed with UV treatment. **Standard colour:** Black. Other colours on request.




Twisted 2mm  
Single mesh



Twisted 2mm  
Double mesh



Braided 3mm  
Single mesh



Braided 4mm  
Single mesh




Knotless 5mm  
Single mesh


REF.	Thread	Mesh	Dimensions				Note
	Braided/Twisted	(mm)	A	B	C	D	
<b>S16810</b>	Twisted 2.0	SM 100	2.5	1.8	0.8	1.0	School goal S16011 and S16016
<b>S16820</b>	Twisted 2.0	SM 120	3.1	2.0	0.7	1.0	-
<b>S16861</b>	Braided 3.0	SM 100	3.1	1.9	0.8	1.0	Wall folding goal
<b>S16862</b>	Braided 3.0	SM 100	3.1	2.0	0.8	1.0	-
<b>S16862RC</b>	Braided 3.0	SM 100	3.1	2.0	0.8	1.0	Recycled net
<b>S16862KL</b>	Braided 3.0	SM 100	3.1	2.0	0.8	1.0	Knotless
<b>S16865</b>	Braided 3.0	SM 100	3.1	2.1	0.9	1.0	Foldable goal S16271 and S16274
<b>S16881*</b>	Braided 4.0	SM/DM 100	3.1	2.0	0.8	1.0	Premium net Double and single mesh
<b>S16882</b>	Braided 4.0	SM 100	3.1	2.0	0.8	1.0	-
<b>S16882KL</b>	Braided 4.0	SM 100	3.1	2.0	0.8	1.0	Knotless
<b>S16885KL</b>	Braided 5.0	SM 100	3.1	2.0	0.8	1.0	Knotless
<b>S16950</b>	Braided 4.0	SM 100	3.1	2.0	X	X	Ball stop net
<b>S16950KL</b>	Braided 4.0	SM 100	3.1	2.0	X	X	Ball stop net, knotless

SM: Single mesh / DM: Double mesh.

\***S16881** - This net is made out of double mesh on the sides and single mesh on the middle section.



The sides of the net are most vulnerable during competitions and are not protected by the ball catch net. The double mesh prevents premature wear.



SM: Single mesh.

DM: Double mesh.



## ADAPTIVE STOCKS TO MEET YOUR REGULAR NEEDS.

Our stocks in France and Asia are managed following our recurring customer demand, to provide short lead-times.

Let our team know which references you need on a regular basis to insure we keep a rolling stock for your projects!



**AT ANY ONE TIME, UP TO 95% OF OUR REFERENCES ARE READY TO SHIP WORLDWIDE.**





# MUGA GOALS

Conforme NF  
EN 749

Conforme NF  
EN 1270

## ► Football/handball/basketball goals

Our multi-use goals are made of galvanized steel, Ø90mm socketed goals, with an anti-corrosion coating. Ring height: 3.05m/2.6m. Delivered without ground socket.



**S19101PZ** - For traditional net.

**S19131PZ** - For anti-vandalism net.  
Integrated handrail for fixing  
anti-vandalism net.

**S19161PZ** - With hot-dip galvanized tube grids.


**S19164PZ** - With filling at the top part.

Also available without a backboard and ring.

**S19161PZ**




**S19301PZ** - With ball-stop fencing.



 **S18824** - Anti-vandal net, with a strong steel core, ideal for public playgrounds.



 Durability ensured by anti-corrosion coating for the structure and hot-dip galvanization for the fence.



 Fiberglass backboard for optimal rigidity and durability.

## ► Multi-use games area

**S19501PZ** - MUGA court 27 x 15m. Available in other sizes.

Structure in galvanized steel posts, and hot-dip galvanized Ø25mm welded bar perimeter fence. Powder-coated.

Included in the configuration:

- Multi-function goals 3 x 2m and basketball hoops installed at 2.6 or 3.05m.
- Ball-stop fencing on either end: 7.5 x 3.2m.
- 1.1m high handrails around the perimeter.

Dimensions and colour on request.



Ideal for playing different games inside the same area.



**Option:** Openings, Brazilian goals, access door, 2m high fence on perimeter, full width end ball-stop, basketball goals.



Sturdy fence fixations thanks to welded plates.



Rounded handrails and fence bars for improved safety.



2x45° corners to speed up game play, rebounds and avoids players being cornered in a game.



## MULTI-USE




### ► Standard goals

Our multi-use goals are made of galvanized steel. Goals dimensions: 3x2m.  
Delivered without ground socket.




In order to reduce installation time, our goals come with pre-installed net hooks. (Excluding S18020PZG).

**S18020PZG** - Ø90mm socketed.  
Directly concreted into the ground. No net hooks.  
Powder-coated steel with an anti-corrosion coating.



**S18121** - 80x80mm socketed.  
Ring height: 3.05m/2.6m.



**S18124** - 80x80mm socketed.  
With 30x30mm backbars and ground bars.  
Ring height: 3.05m/2.6m.



**S18126** - 80x80mm socketed.  
With 50x50mm backbars and ground bars.  
Ring height: 3.05m/2.6m.



**S18134** - 80x80mm on base-plate.  
With 30x30mm backbars and ground bars.  
Ring height: 3.05m/2.6m.



## ► Premium goals

80x80mm reinforced socketed premium goal. Powder-coated galvanized steel with an anti-corrosion coating. Directly concreted into the ground. Ring height 3.05m/2.6m.



In order to reduce installation time, our goals come with pre-installed net hooks.

**S18152PZW** - With hooks for net attachment.



**S18155PZW** - With specific fixation for anti-vandal net.




Anti-corrosion treatment by hot-dip galvanizing and then painted with polyester powder.




50x50mm reinforcing bars support the top of the structure for greater stability and resistance.

## ► Nets, accessories

**S16557BR** - Aluminium socket with caps.  
For S18121, S18124, S18126.



**S16567** - Height regulator. For 80x80mm socket.




REF.	Thread	Mesh (mm)	Dimensions				Note
			A	B	C	D	
<b>S18800</b>	Braided 3.0	SM 45	3.1	2.0	1.0	1.0	Without roof For S18152PZW
<b>S18803</b>	Braided 3.0	SM 45	3.1	2.0	0.8	1.0	Without roof
<b>S18824*</b>	Braided 5.0	DiM 50x200	3.0	2.0	1.0	1.0	Without roof Anti-vandal net

\*SM: Single mesh    \*DiM: Diamond mesh



**S18824\*** - Anti-vandal net.

This net is made of braided polypropylene and includes a steel core. 50x200mm diamond-shaped mesh held with crimped metal sleeves. This strong net is suitable for public playgrounds.





# VOLLEYBALL

Complies with  
EN 1271

## ► Competition posts

### • Galvanized steel posts

**S30220** - Ø90mm socketed telescopic.  
Winch tension system.  
Class A.



**S30251** - Ø90mm socketed.  
Winch tension system.  
Class A.



**S30271** - Ø90mm mobile.  
Fastened by anchorings.  
Bases without counterweight.  
Winch tension system. Class B.

Anchorless option by adding counterweights in the base.  
- Option class B: 340kg/post.  
- Option class C: 280kg/post.



\*Option protection padding

### • Aluminium posts


**S30170** - Ø90mm socketed.  
Winch tension system. Class B.



### S30170 & S30251



Internal slot allows the tensioning cable to pass through neatly.



Rail slider allows simple and efficient height adjustment.

### S30170



Reinforced aluminium to comply with competition standards.  
Class B.

### STANDARDS

Our competition volleyball posts comply with FIVB regulations. This means they are suitable for high level competition.

In order for the whole assembly to be FIVB compliant, installed nets need to also comply with regulations.

For competitions, antennae need to be installed on the net at sideline level, to clearly identify the edge of the playing field.

No elements protrude from the posts on the players side preventing injuries.

To achieve this, the tensioning system is located on the outer side of the volleyball court with the net cable passing over or through the post.

# VOLLEYBALL

## ► Training posts

### • Galvanized steel posts

**S30004EZW** - Wall mounted net supports. 10 fixing points. Manual tension system. Class C.



Suitable for playing tennis and badminton.

**S30052** - Ø76mm and Ø60mm mobile. With empty counterweight. Manual tension system.



**S30061** - Ø90mm with base. Fixing to the ground. Winch tension system. Class C.



Suitable for playing tennis and badminton.



Easy transport thanks to wheel.

**S30134** - Ø90mm socketed. Height adjustment system with retaining pin. Winch tension system. Class C.



**S30161** - Ø90mm socketed. Winch tension system. Class C.




Suitable for playing tennis and badminton.

**S30181** - Ø90mm socketed central. Winch tension system. Class C.



**S30161 & S30181**



Rail slider allows simple and efficient height adjustment.



# VOLLEYBALL

Complies with  
**EN 1271**

## ► Training posts

### • Aluminium posts

**S30158** - Ø90mm socketed.  
Manual tension system.  
Class C.



**S30176** - Ø90mm socketed central.  
Manual tension system.  
Class C.



### S30158 & S30176



Easy net tightening  
thanks to the clam cleat.



**S30182** - Ø90mm socketed central.  
Winch tension system.  
Class C.



Rail slider allows  
simple and efficient  
height adjustment.



Suitable for playing tennis and badminton.

## ► Referee stands

Referee stand galvanized steel. Powder-coated. Platform height 1.3m.

**S30426** - Standard range.



**S30429** - Premium range. For high competition.

Designed to fit over competition volleyball posts.  
Delivered with protection paddings on both sides.



Easy transport thanks to  
2 non-marking wheels.


**S30429 + S30271 + S30402**





# ACCESSORIES

## ► Posts accessories


**S12592** - Height regulator.  
For Ø90mm socket.




**S30357BR** - Aluminium sockets with caps. For Ø90mm posts.




**S30357BR-U** - Aluminium socket with cap. For Ø90mm central post.




**S30358BR** - Aluminium sockets with caps. For S30134 Ø90mm.



**S30359BR** - Aluminium sockets with integrated caps.  
For multi-sport halls, Ø90mm posts.



 Cap-slot with added surfacing up to 12mm thickness (to be applied to the cover by the floor installer).



 Integrated caps are fixed to the socket, preventing loss or slipping hazards.

**Protection pads, 2m high.**  
Used for post from 80mm to 110mm.


**S30401** - External dimensions: 200x200mm.

**S30402** - External dimensions: Ø215mm.

Option: Logo or advertisement.



For a perfect fit, all our protection paddings are equipped with 2 fastening methods (A & B).



**(A)** 1 velcro strip sewn on the whole height.



# ACCESSORIES

## ► Net accessories

**S30611** - Competition antennas. Height 1.80m.



**S30615** - Antennas screw system. Height 1.80m.



**S30715** - Antennas pocket. For S30611.



**S30730** - 12.18m replacement cable.

For S30611.



**S63151G** - Measuring gauge. Adjustable height: up to 3.50m.



## ► Miscellaneous accessories

**S16550** - Multi-sport scoreboard. With 2 digits manual flipping score.



**Horizontal wall brackets.**

**S30432** - For 4 posts.



**S30433** - For 6 posts.

**S30438** - Vertical wall brackets. For 4 posts.

**S30434** - For 8 posts.



**S30435** - For 10 posts.



**S30454** - Mobile storage racks. For 4 pairs of posts.



**S30530** - Foldable ball cart. Aluminium. Capacity 18 balls.



**S30532** - Steel ball trolley. Capacity 20 balls.



**Galvanized steel bench, with aluminium seating. Powder-coated. Length 2m.**

**S30552G** - Standard feet.


**S30556G** - Wider footings to protect softer surfaces.



Welded plates under feet to prevent floor damage.

**S50810** - Ball carrying net. Avoids any breakage of the bars.

**S50810** - Ball carrying net. Capacity 10 - 12 balls. Other capacities (on request).



# NETS

Our volleyball nets are processed with UV treatment, single mesh 100mm. Tension net by cord, 5mm PVC coated galvanized steel cable or 5mm Kevlar reinforced cord.  
Length 12.18m. Standard colour: Black.

## STANDARDS

### In compliance with FIVB regulations:

Our competition nets are equipped with:

- 7cm high top band.
- 3 fixations on each side.
- Side and bottom bands 5cm.
- Side taps 5cm placed above each line.



**S30820** - Twisted 2mm.  
Tension by cord.



**S30830** - Twisted 2mm.  
Tension by cable.




**S30850** - Braided 3mm.  
Tension by cable.



### **S30852 - Competition net**

#### Complies with FIVB.

Braided 3mm. Tension by Kevlar cord.



The clamcleat is easy to install and gives the net a perfect shape.

### **S30857 - Competition net**

#### Complies with FIVB.

Braided 3mm. Tension by cable.



### **S30870KL - Braided 4mm.**

Knotless net.

Tension by cable.



REF.	Thread	Dimensions	Band			Tension	Note
	Braided/Twisted		Top	Sides	Bottom		
<b>S30820</b>	Twisted 2.0	9.5x0.9m	White PVC	-	-	4mm cord	-
<b>S30830</b>	Twisted 2.0	9.5x1.0m	White PVC	-	-	5mm Galvanized cable	-
<b>S30850</b>	Braided 3.0	9.5x1.0m	White PVC	-	-	5mm Galvanized cable	Side tapes
 <b>S30850RC</b>	Braided 3.0	9.5x1.0m	White PVC	-	-	5mm Galvanized cable	Side tapes Recycled net
<b>S30850KL</b>	Braided 3.0	9.5x1.0m	White PVC	-	-	5mm Galvanized cable	Side tapes, Knotless
<b>S30870KL</b>	Braided 4.0	9.5x1.0m	White PVC	-	-	5mm Galvanized cable	Side tapes Knotless
<b>S30852</b>	Braided 3.0	9.5x1.0m	White PVC	White PVC	White PVC	6mm kevlar cord	Side tapes Fiberglass rods Compliant FIVB
<b>S30857</b>	Braided 3.0	9.5x1.0m	White PVC	White PVC	White PVC	5mm Galvanized cable	Side tapes Fiberglass rods Compliant FIVB



## BEACH EQUIPMENT

### ► Beach soccer



**S13137** - Ø101.6mm aluminium goals.

- Dimensions: 5.5 x 2.2m. Powder-coated.
- Delivered with:
  - Anchoring systems
  - Ø34mm top net supports.

**S13350** - Flexible corner poles.

Height above ground: 1.5m.

With flag, flexible rubber connector, PVC tube, plastic socket and cap.

**S13365** - Beach soccer boundary lines.

PVC band 100mm wide.

Delivered with 6 sand anchors.

In compliance with beach soccer regulations, suitable for delimiting a 37 x 28m pitch.

**S13609** - Weighted sheath for beach football net.

Length 8.8m.



Weighted sheath for the net removes the need for backbars, making the product easy to install or disassemble.

REF.	Thread	Mesh	Dimensions			
	Braided/Twisted	(mm)	A	B	C	D
<b>S13862</b>	Braided 3.0	SM 120	5.5	2.3	0.8	1.6

SM: Single mesh.



# BEACH EQUIPMENT

## ► Beach handball



**S17211** - Ø80mm aluminium goals.

Dimensions: 3.0 x 2.0m.  
Powder-coated.  
Delivered with:  
- Anchoring systems.  
- Ø34mm top net supports.




100% aluminium structure.  
Strong PVC hooks, UV resistant.

**S17365** - Beach handball boundary lines.

PVC band, 50mm wide. Delivered with 6 sand anchors.  
Suitable for delimiting a 27 x 12m pitch.



**S17609B** - Weighted sheath for beach handball net.  
Length 5.3m.



Weighted sheath for the net removes  
the need for backbars, making the  
product easy to install or disassemble.

REF.	Thread	Mesh	Dimensions			
	Braided/Twisted	(mm)	A	B	C	D
<b>S17862B</b>	Braided 3.0	SM 100	3.1	2.0	0.8	1.0

SM: Single mesh.





## BEACH EQUIPMENT

### ► Beach volleyball/ Beach tennis



Our beach volleyball posts are similar to our indoor model, but with a special ground anchor to stabilise the post in the sand. Made of Ø90mm powder-coated steel or aluminium tube.

#### • Single court

**S30158** - Socketed posts.

Aluminium.

Manual tension system.

Class C.



**S30161** - Socketed posts.

Galvanized steel.

Winch tension system.

Class C.



**S30170** - Socketed posts.

Aluminium.

Winch tension system.

Class B.



Height can be adjusted with a tightening handle depending on the sport and category.

Beach volleyball = 2.24 to 2.43m

Beach tennis = 1.50 to 1.80m.



Winch for quick and precise tension.


#### • Multi-court

**S30182** - Socketed central post.

Aluminium.

Winch tension system.

Class C.



Double pulley system to combine multiple beach volleyball courts side by side.

# BEACH EQUIPMENT

## ► Beach volleyball/ Beach tennis

### • Accessories

**S30429** - Premium range: Galvanized steel referee stand. Powder-coated. For high competition. Designed to fit over competition volleyball posts. Delivered with protection paddings on both sides.

**S32340** - Anchor for beach volleyball referee stand.



Prevents the podium's feet from sinking into the sand, resulting in greater stability.



S30429 + S30271

**S32351** - Anchoring systems for beach volley posts.



**S32365** - Beach volley boundary lines. PVC band. 50mm wide. Delivered with 6 sand anchors.



In compliance with beach volley regulations, suitable for delimiting a 16 x 8m court.

### • Nets

REF.	Thread	Mesh	Dimensions	Band			Tension	Note
	Braided/Twisted	(mm)		Top	Sides	Bottom		
<b>S25862KL</b>	Braided 3.0	SM 45	9.0x1.07m	Yellow PVC	Yellow PVC	Yellow PVC	5mm galvanized cable	Beach tennis Knotless
 <b>S25862RC</b>	Braided 3.0	SM 45	9.0x1.07m	Yellow PVC	Yellow PVC	Yellow PVC	5mm galvanized cable	Beach tennis Recycled net
<b>S32820</b>	Twisted 2.0	SM 100	8.5x0.9m	Green PVC	-	-	4mm cord	Beach volleyball
<b>S32856</b>	Braided 3.0	SM 100	8.5x1.0m	Yellow PVC	Yellow PVC	Yellow PVC	5mm galvanized cable	Beach volleyball Head band advertising on request

SM: Single mesh.



## SEPAK TAKRAW - SHUTTLECOCK

### ► Sepak Takraw

**S28220** - Standard range. Ø42mm mobile posts. Fixed height 1.55m. With 80kg internal counterweight.



**S28611** - Competition antennas. Height 1.20m. For sepak takraw and shuttlecock.



**S28715** - Antennas pocket. For S28611.



**S28230** - Premium range. Ø60mm mobile posts. Height adjustment: 1.45m - 1.55m. With 112kg internal counterweight.



**S28820** - Training net. Dimensions: 6.1 x 0.7m. Mesh 48mm. With PVC headband.

**S28830** - Competition net. Dimensions: 6.7 x 0.7m. Mesh 70mm. With PES bands on the perimeter.



### ► Shuttlecock

**S28045** - 40x40mm training mobile posts. With 20kg counterweight and 20kg base.



**S28240** - 40x40mm competition mobile posts. Adjustable height 1.5m-1.6m. With 62kg base.



**S28810** - Competition and training shuttlecock net. Dimensions: 7.0 x 0.76m. Mesh 20mm.



# SEPAK TAKRAW - SHUTTLECOCK

## ► Umpire chairs

**S27350** - Standard range: Umpire chair.  
Ø34mm galvanized steel.  
Delivered with: Desk, seat and adjustable height swivel feet.



**S27361** - Premium range: Umpire chair.  
60x30mm aluminium.  
Delivered with: Desk, seat, coat hook and adjustable height swivel feet with rubber pads.



## ► Scoreboard

**S16550** - Multi-sport freestanding scoreboard.  
With 2 digits manual flipping score.



Fixed handle makes the scoreboard very easy to move.

**S27390** - Flip table scoreboard. Visibility: 40m.  
For badminton, volleyball, table tennis, sepak takraw and shuttlecock.



Two-sided provides optimal visibility for spectators, players and referees.



Set composed of points (from 0 to 30), sets (0 to 9), and timeouts.



## **WORKING EXCLUSIVELY WITH SPORTS CONTRACTORS AND EQUIPMENT DISTRIBUTORS**

Choosing to address professionals directly allows us to work closely with installers as well as your sales teams who convince decision-makers.

The work done on this new catalog was created with you and your teams in mind first, to showcase the equipment by providing as many details as possible and clearly highlighting the key features and benefits.



**A customer network exclusively  
made up of expert resellers and installers.**





# RACKET SPORTS

**84** — Tennis

[www.sodexsport.com/tennis](http://www.sodexsport.com/tennis)

**94** — Padel

[www.sodexsport.com/padel](http://www.sodexsport.com/padel)

**96** — Badminton

[www.sodexsport.com/badminton](http://www.sodexsport.com/badminton)

**101** — Pickleball

<https://www.sodexsport.com/pickleball>



## TENNIS

All our posts follow the specifications in the ITF Rules of Tennis and are delivered with aluminium lacing bars (vertical bars placed along the post). Winch and crank handle included.

### ► Tennis posts with internal winch system

**S25225N** - Socketed.

80x80mm galvanized steel.

**S25256N** - On base-plate.

100x100mm galvanized steel.



**S25235N** - Socketed.

Ø90mm galvanized steel.




**S25241N** - Socketed.

120x100mm elliptical aluminium.



 Top cap is fixed to the post thanks to a hinge.



 Internal winch system gives product a clean finish.



 Internal storage space for crank handle.

## ► Tennis posts with external winch system

### — Posts on base-plate / Posts with base

**S25061N** - With base.

Fixing to the ground.

Ø90mm galvanized steel.



**S25216N** - On base-plate.

80x80mm galvanized steel.



**S25252N** - On base-plate.

100x100mm galvanized steel.




### — Socketed posts

**S25201N** - Ø76mm galvanized steel.

**S25213N** - 80x80mm galvanized steel. **S25214N** - 80x80mm aluminium.



**S25232N** - Ø90mm galvanized steel. **S25233N** - Ø90mm aluminium.






## MOBILE / MINI TENNIS

Complies with  
EN 1510

### ► Mobile tennis posts

**S25219N** - 80x80mm galvanized steel.  
Ideal for high level competition.

 No ground fixations required,  
preserving waterproof surfaces  
such as rooftops.



 7 adjustable support feet on  
which the structure rests during  
play and not on the wheels.



 No need to dismantle  
the structure every  
time for storage.



 100kg integrated  
counterweights in the  
post base.

### ► Mini tennis

**S25380** - Mobile mini tennis posts. 3m long.  
40x40mm aluminium structure.  
Steel ground bar (without net).  
Other sizes available are 4m, 6m and 8m.

**S25933KL** - Mini tennis nets. 3m long.  
Braided PP 3.0mm.  
PVC top band.  
Other sizes available are 4m, 6m and 8m.



**S25383 + S25936KL**

# ACCESSORIES

## ► Posts accessories



### Height regulator

**S12592** - For Ø90mm socket.

**S16567** - For 80x80mm socket.




Special height regulator design to allows adjusting the effective depth and compensate possible sag from the sockets.

### **S25357BR** - Aluminium sockets.




With caps.

For 80x80mm posts.



### **S25359BR** - Aluminium sockets with integrated caps.

For multi-sport halls, 80x80mm posts.



Cap-slot with added surfacing up to 12mm thickness (to be applied to the cover by the floor installer).

 Integrated caps are fixed to the socket, preventing loss or slipping hazards.



### **S25363BR** - Aluminium sockets.


With caps.

For Ø90mm posts.




### **S25369BR** - Aluminium sockets with integrated caps.

For multi-sport halls, Ø90mm posts.



Cap-slot with added surfacing up to 12mm thickness (to be applied to the cover by the floor installer).


 Integrated caps are fixed to the socket, preventing loss or slipping hazards.



### **S25378BR** - Aluminium sockets.

With caps.

For 120x100mm posts.



### External winch with crank handle.

**S25595N** - Black powder coating.






## ACCESSORIES

### ► Court accessories


**S25645** - 3 sets scoreboard.

Fixing on wire mesh.




**S25646** - 3 sets scoreboard. With logo.

Fixing on wire mesh.



**S25650** - 5 sets scoreboard.



# ACCESSORIES


## Court accessories

**S25020** - Tennis posts for singles games.



The design prevents the band from being crushed.

**S25521** - Mobile tennis ball basket. With 2 wheels. Capacity: 100 balls.



**S25600** - Aluminium water remover. Width 0.75m.



**S25613** - Stainless steel water remover. Width 1.40m.

**S25613-021** - Replacement foam.



**S25675** - Training wall 3x2m.

**S25675-08** - Replacement net. For training wall.



**S25681** - Drag net for clay court.



**S25685GC** - Court entrance gate. Hot-dip galvanized 0.7x0.4m. Delivered with ground frame.



**S25689** - Drag net support.



**Bench with galvanized steel powder-coated frame and backrest**

Fixed on the ground by pins, washers, and bolts.

**S30567PZN** - 2 seats, 1.2m.

**S30570PZN** - 4 seats, 2.0m.



\* On request, a logo or advertisement can be added.



# UMPIRE CHAIRS

## ► Galvanized steel. Standard



**S25331** - Umpire chair.  
Ø34mm galvanized steel.  
Delivered with: adjustable height swivel feet and seat.

**S25331-02W** - Option for umpire chair S25331.  
Removable PVC desk.



**S25343** - Option for umpire chair S25331.  
Lateral chair (Left or right).



## Standard and premium features



Seat with integrated drain design.




Adjustable height swivel feet. Allows to perfectly stabilise the chair.

## ► Aluminium. Premium




**S25332** - Umpire chair.  
60x30mm aluminium.  
Delivered with: Desk, seat, coat hooks and adjustable height swivel feet with rubber pads.

**S25345** - Option for umpire chair S25332.  
Lateral chair (Left or right).



Structure with anti-slip ladder and handrail.



Reversible desk with a safety brace.



Non-marking rubber pads to protect the floor.

## ► Protections

**S25331-06** - Sun protection.  
For Ø32-40mm tubes.



**S25331-07** - Adapter for parasol.  
For Ø32-40mm tubes.



# TENNIS

## ► Beach tennis



**S30161** - Socketed posts. In galvanized steel. Winch tension system. Class C.

**S32351** - Anchoring systems for beach tennis posts.



**S32365** - Beach tennis boundary lines. PVC band, 50mm wide. Delivered with 6 sand anchors.

In compliance with beach tennis regulations, suitable for delimiting a 16 x 8m pitch.



REF.	Thread	Mesh	Dimensions	Band			Tension
	Braided/Twisted	(mm)		Top	Sides	Bottom	
<b>S25862</b>	Braided 3.0	SM 45	9.0x1.07m	Yellow PVC	Yellow PVC	Yellow PVC	5mm galvanized cable

## NETS

REF.	Thread	Mesh	Dimensions	Band			Tension	Note
	Braided/Twisted	(mm)		Top	Sides	Bottom		
<b>S25810KL</b>	Braided 3.0	SM 45	10.05x1.07m	PES	PVC	PVC	5mm	For single court, central strap S25532, knotless
<b>S25820</b>	Twisted 2.0	SM 48	12.7x1.07m	PVC	-	-	5mm	Without central strap
<b>S25830</b>	Twisted 2.0	6 DM 48	12.7x1.07m	PVC	-	-	5mm	Central strap S25530
<b>S25861</b>	Braided 3.0	SM 45	12.7x1.07m	PES	-	-	5mm	Central strap S25531
 <b>S25861RC</b>	Braided 3.0	SM 45	12.7x1.07m	PES	-	-	5mm	Central strap S25531, recycled net
<b>S25861KL</b>	Braided 3.0	SM 45	12.7x1.07m	PES	-	-	5mm	Central strap S25531, knotless
<b>S25866</b>	Braided 3.0	SM 45	12.7x1.07m	PES	PVC	PVC	5mm	Central strap S25531
<b>S25866KL</b>	Braided 3.0	SM 45	12.7x1.07m	PES	PVC	PVC	5mm	Central strap S25531, knotless
<b>S25868</b>	Braided 3.0	5 DM 48 on 6m	12.7x1.07m	PES	-	-	5mm	Without central strap
<b>S25871</b>	Braided 3.0	6 DM 45	12.7x1.07m	PES	-	-	5mm	Central strap S25531
<b>S25876</b>	Braided 3.0	6 DM 45	12.7x1.07m	PES	PVC	PVC	5mm	Central strap S25531
<b>S25877</b>	Braided 3.0	6 DM 45	12.7x1.07m	PES	PVC	PVC	5mm	Fiberglass rod, central strap S25531
<b>S25878</b>	Braided 3.0	6 DM 48	12.7x1.07m	PES	PVC	PVC	5mm	High-end design for high-level competition
<b>S25881</b>	Braided 4.0	SM 48	12.7x1.07m	PES	-	-	5mm	Central strap S25531
<b>S25881KL</b>	Braided 4.0	SM 45	12.7x1.07m	PES	-	-	5mm	Central strap S25531, knotless
<b>S25886</b>	Braided 4.0	SM 48	12.7x1.07m	PES	PVC	PVC	5mm	Central strap S25531
<b>S25886KL</b>	Braided 4.0	SM 45	12.7x1.07m	PES	PVC	PVC	5mm	Central strap S25531, knotless
<b>S25898</b>	Braided 4.0	6 DM 48	12.7x1.07m	PES	PVC	PVC	5mm	High-end design for high-level competition

SM: Single mesh/ DM: Double mesh / KL: Knotless.



# NETS

## ► For high competition

High-end design for high-level competition.

Thanks to a specific design and a unique know-how in manual net manufacturing, Sodex Sport offers nets with a specific taper towards its center.


Bottom meshes are shortened towards the center to give a perfect shape.

**S25878** - Net for high competition, braided 3.0mm

**S25898** - Net for high competition, braided 4.0mm




This net shape then falls perfectly parallel to the ground, to the delight of your customers.



## ► For retrieving balls

**S25910** - Ball capturing net. Ideal for intensive training sessions.

Facilitates picking up balls and having a clear court at all times. Height 0.4m.



To be attached along the posts using a sandow. This net is ideal for training sessions as it allows the balls to be recovered and avoids scattering them on the field.

# NETS ACCESSORIES

**S25310** - Headband, vinyl band.  
With eyelets and cord.




**S25311** - Headband, PES band.  
With eyelets and cord.



**S25325** - 13.8m replacement cable.




## NETS ACCESSORIES



**S25530** - PES strap with PVC single buckle.

Strap with buckle is made of polyester with a PVC hook. It allows to adjust the height of the net in the centre of the court.

PVC buckle allows the strap to be easily slid to adjust the height of the tennis net at its centre to 0.914m.



**S25531** - PES strap with PVC hook and side release buckle.

Strap with side release buckle is made of polyester with a PVC hook. It allows to adjust the height of the net in the centre of the court.

Side release buckle allows the strap to be easily slid to adjust the height of the tennis net at its centre to 0.914m.



**S25532** - PES strap with metal buckle.  
With velcro.

Strap with buckle is made of polyester with a metal hook. It allows you to adjust the height of the net in the centre of the court.

A long velcro strap allows the net to be easily positioned at the desired height.

The strap allows the height of the net in the centre of the court to be adjusted to a height of 0.914m.



Use our singles tennis posts S25020 with adhesive measuring tape on one post to control height of the net at the center of the court.

**S25316** - Socket for net adjuster strap.  
For regulator.



**S25319** - Tennis net center strap base weight.  
Weight: 5.5kg.



Avoid any holes on the floor.  
Ideal for multi-purpose flooring.



## ► Cage

10x20m padel court with an integral metal construction, mesh, and tempered glass.  
Floor not provided.



**S26040** - Indoor padel court.

10mm tempered glass panel and 80x80mm powder-coated steel structure.

### Outdoor padel court

**S26057PZN** - 10mm tempered glass panel and 80x80mm powder-coated steel structure reinforced at the base.

**S26060PZN** - 12mm tempered glass panel and 80x80mm powder-coated steel structure reinforced at the base.



## ► Cage accessories

**S26350** - Spotlight kit.


- Control box with lightning protection.
- 6.5m cables.
- 150W led lighting.
- 60x60mm straight support posts.

**S26401** - Padding for padel cage door.

Avoid player injuries.

Size: On request.

Option: Print logo/Advertisement.




# PADEL

## ► Padel posts with internal winch system

**S26222N** - On base-plate.  
80x80mm galvanized steel.




**S26235N** - Socketed.  
Ø90mm galvanized steel.




## ► Accessories

**S26222-07** - Padding for padel post.  
0.9m high protective foam pads.  
80x80mm in size.  
External dimensions: 210x180mm.



Option: Logo or advertisement.



## ► Nets

REF.	Thread	Mesh mm	Dimensions	Band			Tension	Note
				Top	Sides	Bottom		
<b>S26863KL</b>	Braided 3mm	SM 45	9.95x0.92m	PES	-	-	Cable 5mm	Knotless
<b>S26863RC</b>	Braided 3mm	SM 45	9.95x0.92m	PES	-	-	Cable 5mm	Recycled net
<b>S26883KL</b>	Braided 4mm	SM 45	9.95x0.92m	PES	-	-	Cable 5mm	Knotless

SM: Single mesh

**S26312** - Customizable band option (logo, text).



## BADMINTON POSTS



### ► Posts certified for international competition

**S27229** - BWF certified badminton posts.

 Powder-coated steel 40x40mm.

Fixed height of 1.55m. Counterweight of 84kg.



2 wide (non-marking) wheels and removable counterweights make moving the post simple.



Designed without a bracing leg to prevent players' rackets from being stuck in the post during off-centered short serves.



3 removable counterweights of 28kg each for perfect stability.



The inclination angle makes sure that the post is perfectly vertical to the ground.

# BADMINTON POSTS

Complies with  
EN 1509

## ► Competition posts

Our 40x40mm white powder-coated steel badminton posts.

Adjustable height 1.55m / 1.40m. Suitable for Mini Badminton and Para-badminton.

**S27220** - Socketed.



**S27240** - Mobile.

With 62kg counterweight.



**S27263** - Mobile central.



**S27280** - On base-plate.



**S27283** - Fixed by multi-directional anchoring.



Easy net tensioning thanks to the strap and the clam-cleat.



Adjustable height 1.55m/1.40m with clamping screw.



The grooved design keeps the net cable centered during games.



# BADMINTON POSTS


Complies with  
EN 1509

## ► School posts

Made of 40mm square steel. Powder-coated.

- Fixed height 1.55m.

**S27008** - Net support post on base-plate.



**S27020** - Socketed.



**S27040** - Mobile.  
With 20kg base.



**S27045** - Mobile.  
With 20kg counterweight  
and 20kg base.



**S27060** - Mobile central.  
With 2 bases of 20kg each.




- Adjustable height 1.55m / 0.91m.

NEW

**S25110** - Mobile.  
With 62kg counterweight.



 Suitable for playing pickleball.



# UMPIRE CHAIRS

## ► Galvanized steel. Standard



**S27350** - Ø34mm galvanized steel.  
Delivered with: Desk, seat and adjustable height swivel feet.


### Standard and premium features



 Anti-slip ladder for added security.




 Swivel feet allow the chair to be more stable.



 Reversible desk with a safety brace.

### Premium feature



 Wheels allow the chair to be transported easily.

## ► Aluminium. Premium



**S27361** - 60x30mm aluminium.  
Delivered with: Desk, seat, wheels, coat hook and adjustable height swivel feet with rubber pads.

## ► Accessories

**S27390** - Flip table scoreboard.  
Visibility: 40m.  
For badminton, volleyball, table tennis, sepak takraw and shuttlecock.

Set composed of points (from 0 to 30), sets (0 to 9), and timeouts.



**S27431** - Steel sockets.  
With aluminium caps.



**S27567** - Height regulator.  
For 40x40mm socket.





## NETS



**S27835** - Training net per linear metre.



**S27840** - Recreational and training net.



**S27850** - Training net.



**S27875** - Competition net.  
BWF certified.



Competition badminton nets made of nylon knotted twine, 20mm single mesh.

Net dimension: 6.1 x 0.76m PES headband with eyelets and tension cord.



Reinforced with PES band on perimeter.



The competition badminton net is equipped with 5 velcros on each side to ensure the net falls straight along the posts.


REF.	Thread	Mesh mm	Dimensions	Tension	Band			Note
					Top	Sides	Bottom	
<b>S27835</b>	Ø0.75mm	SM 20	100x0.76m	4mm cord	White PES	Black PES	Black PES	Length min 10m max 100m
<b>S27840</b>	Ø0.75mm	SM 20	6.1x0.76m	4mm cord	White PES	Black PES	Black PES	-
<b>S27850</b>	Ø1.00mm	SM 20	6.1x0.76m	4mm cord	White PES	Black PVC	Black PVC	-
<b>S27875</b>	Ø0.75mm	SM 20	6.1x0.76m	5mm cord	White PES	Black PES	Black PES	Fixing by velcro

SM: Single mesh



# PICKLEBALL

## ► Pickleball posts



**S25101N** - Mobile.  
40x40mm galvanized steel.



**S25119N** - Mobile.  
80x80mm and Ø76mm galvanized steel.



No ground fixations required, preserving waterproof surfaces such as rooftops.



Ideal for competitive play, while still maintaining the ability to move it.



**S25110N** - Mobile.  
40x40mm galvanized steel.  
With 62kg counterweight.




 Suitable for playing badminton with adjustable post height.

**S26222N** - On base-plate.  
80x80mm galvanized steel.



**S26235N** - Socketed.  
Ø90mm galvanized steel.



## ► Nets

REF.	Thread	Mesh mm	Dimensions	Band			Note
				Top	Sides	Bottom	
<b>S25945KL</b>	Braided 3mm	SM 45	6.71 x 0.91m	White PES	-	-	Use for post S26222N, S26235N. S25110N. Cable 5mm. Central strap.
<b>S25948</b>	Twisted 2mm	SM 48	6.62 x 0.77m	White PES	Black PVC	-	Use for post S25101N. Cord 5mm.
<b>S25951KL</b>	Braided 3mm	SM 45	6.70 x 0.70m	White PES	-	-	Use for post S25119N. Cable 5mm. Central strap.

SM: Single mesh



# SOLO SPORTS

## 103 — Athletics

[www.sodexsport.com/athletics](http://www.sodexsport.com/athletics)

## 111 — Outdoor fitness

[www.sodexsport.com/outdoor-fitness](http://www.sodexsport.com/outdoor-fitness)

## 116 — Pool equipment

[www.sodexsport.com/water-sport](http://www.sodexsport.com/water-sport)



# RUNNING



## ► Starting blocks

**S61001** - School.

Made out of steel.  
With plastic block.



**S61022** - Competition.

Made out of aluminium.  
With 82mm central rail.





**S61021** - Training.

Made out of aluminium.  
With 62mm central rail.

**S61041** - Competition.

Made out of aluminium.  
With 102mm central rail.




**A**



**B**



**C**



Blocks covered with thick rubber pads.

Central rail in thick aluminium.

Adhesive measuring tape on the rail to adjust the pedal distance.

## ► Hurdles

**S61301** - School.

Adjustable height 0.15-0.7m.  
With wood top bar.



**S61331** - Competition.

Manually adjustable counterweight.  
Adjustable height 0.76-1.06m. With PVC top bar.



**S61322** - Club.

Manually adjustable counterweight.  
Adjustable height 0.76-1.06m.  
With PVC top bar.



**S61341** - Premium competition.

All-aluminium structure.  
Automatic setting counterweight.  
Adjustable height 0.76-1.06m. With PVC top bar.



Collapsible model = optimized storage.



Weight center of gravity adjusts automatically with height thanks to a pulley system.



## RUNNING

### ► Steeplechase hurdles

**S61611** - Water jump steeplechase hurdle with base-plate. 3.66m long. Steel + EPDM.

**S61614** - Water jump steeplechase hurdle with base-plate. 3.66m long. Steel + plywood.



**S61631** - Steeplechase mobile hurdle. 4.03m long. Steel + EPDM.

**S61634** - Steeplechase mobile hurdle. 3.96m long. Steel + plywood.



### ► Accessories

**S61701** - Water jump pit cover. Made out of galvanized steel and aluminium. Adjustable leg from 500 - 700mm.




**S61801** - Starting block cart. Made out of galvanized steel. With two levels of storage for paddles and other accessories.



**S61806** - Steel hurdle cart. With 4 non-marking wheels (2 fixed & 2 swivel wheels). Capacity: 10 hurdles.



**S61811** - Aluminium track kerb.



The track kerb is made up of 3 aluminium profiles: (A) ground support, (B) kerb profile, and (C) top connecting plate. They clip together for quick disassembly/assembly without tools.

# RUNNING

## ► Accessories

**S61821** - Starters podium.  
Powder-coated galvanized steel.  
Mobile, with 2 wheels.



**Umpire stand with backrests.**  
**S61861PZG** - 6 umpires.  
**S61866PZG** - 8 umpires.

**Umpire stand with standard seats.**  
**S61862PZG** - 6 umpires.  
**S61867PZG** - 8 umpires.



**S61871** - Awards podium.



PVC wheels allow the structure to be transported easily.



Anti-slip wood panels.

**S61886** - Performance indicator.



**S61901** - Composite lane number marker.  
450mm height.



**S61956** - Competition relay baton.



**S61961** - Composite distance marker.  
350mm height.



**S61966** - Track kerb marker.  
In aluminium.



\* Text and color on request.



# JUMPING



## ► Long jump

**S63670** - Combo long jump equipment kit:

- 1 foundation tray.
- 1 blanking board.
- 1 take-off board.



**S63685** - Triple jump equipment kit:

- 3 foundation trays.
- 3 blanking boards.
- 1 take-off board.



**S63701** - Foundation tray.



**S63711** - Blanking board.



**S63721** - Take-off board.

Delivered with Foul board (S63731).



## Distance marker

**S63801** - 4m to 9m.

**S63806** - 10m to 15m.

**S63811** - 14m to 19m.



**S63901** - Take-off marker.



**S63916** - Plasticine.



**S63955** - Jump pit cover.

Prevents sand loss due to wind.  
Allows rainwater drainage without scattering the sand.



## ► High jump

**S63001** - School high jump posts. 40x40mm galvanized steel.

With 60x30mm foot base. Adjustable height max 2.0m.



 Hook on the side of the slider allows fastening a training cord.



Long foot base combined with the weight of the mattress provide excellent stability to the setup.

# JUMPING

## ► High jump


**S63021** - Training high jump posts.

40x40mm galvanized steel. With 20kg foot base.  
Adjustable height max 2.2m.



**S63026** - Training high jump posts.

40x40mm galvanized steel. With 20kg base.  
Adjustable height max 2.0m.



**S63042** - Competition high jump posts.

Ø90mm aluminium.

Adjustable height: 1.1m - 2.7m



## ► High jump accessories

**S63101** - High jump sandow.  
Length 10m.



**S63111** - Aluminium high jump crossbar.  
Length 4m.

**S63121** - Fiberglass high jump crossbar.  
Length 4m.



**S63151G** - Measuring gauge.  
Adjustable height: up to 3.50m.





## JUMPING

### ► High jump accessories

**S64000** - High jump training mattress\*.



**S64100** - High jump competition mattress\*.



**S64300** - High jump duckboard\*.



**S64400** - Mattress cover\*.



**S64500** - Mattress shelter\*.



*\*Dimensions on request.*

### ► Pole vault

**S63301** - Pole vault uprights.



Adjustable height:  
1.7m - 6.5m.



**S63201** - Pole vault box.  
With cover.



**S63351** - Post padding.


**S63381** - Rail padding.

### ► Pole vault accessories

**S63421** - Fiberglass pole vault crossbar.  
Length 4.5m.




**S63501** - Vaulting pole support rack.



**S64200** - Pole vault mattress\*.

**S64350** - Pole vault duckboard\*.



**S64400** - Mattress cover\*.

**S64500** - Mattress shelter\*.

*\*Dimensions on request.*

# THROWING

## ► Field equipment

**S62001** - Discus circle.  
Diameter: Ø2.50m.



**S62011** - Hammer and shot put circle.  
Diameter: Ø2.135m.



**S62021** - Fiberglass shot toe-board.



**S62031** - Discus circle reducer in hot-dip galvanized steel.  
Outer diameter: Ø2.50m.  
Inner diameter: Ø2.135m.




**S62034** - Discus circle reducer in fiberglass.  
Outer diameter: Ø2.50m.  
Inner diameter: Ø2.135m.




## ► Throwing cage

**S62105GC** - School discus throw cage.  
Hot-dip galvanized posts.  
5 posts in 90x90mm. Height: 4.68m.  
PP net Ø3mm, mesh 45mm.



**S62105GC**

**S62125GC** - Competition discus throw cage.\*  
Hot-dip galvanized posts.  
2 front posts in 120x120mm, height 6.5m.  
3 back posts in 90x90mm, height 4.68m.  
PP net Ø4mm, mesh 45mm.



**S62125GC**



**S62155GC**

**S62155GC** - Competition hammer throw cage.\*  
Hot-dip galvanized posts.  
2 front posts in 150x150mm, height 10.70m.  
3 back posts in 150x150mm, height 7.75m.  
PP net Ø5mm, mesh 45mm.  
Resistance up to 330kg.



\* Fewer posts for better spectator visibility and faster installation.



# THROWING

## ► Throwing accessories

**S62801** - Javelin cart.



**S62821** - Shot put cart.



**S62841** - Discus cart.



**S62861** - Hammer cart.



# TRACK-SIDE EQUIPMENT


**S11075G** - Teamshelter height 1.6m with polycarbonate protection. 7.5m long for 15 people. Other dimensions on request.



**S36058PZG** - Outdoor player bench. With rack and coat-hooks.



**S61881** - Wind indicator.



Square distance marker.

**S61921** - With number.

**S61922** - Without number.



Distance marker.

**S61923** - With number.

**S61924** - Without number.



**S61925** - Run up marker set.



**S61931** - Sector marking tape. Length 50m, wide 5cm. With fixing pins.



**S61951** - Referee flag. White and red.



Steel measuring tape.

**S62936** - 30m.

**S62938** - 100m.

**S62937** - 50m.



**S62946** - Weighing scale.

# OUTDOOR FITNESS

Our range of outdoor fitness equipment is made of powder-coated steel with different treatments depending on the installation area of the product to be protected.

Fitness areas can be installed in urban areas, residential areas, fitness trails, parks, holiday resorts, highway stops.

In order to highlight your projects, to optimize the available surface area, according to the evolution and safety distances between each device, our teams offer you specific renderings for each study.



## Compliance with finger and head entrapment standards

No openings between:

8 and 25mm against finger entrapment.

11 and 23cm against neck and head wedging.



## Durability

Bearings and bushings positioned on the rotating axes.

Anti-rust treatment at strategic locations.

To avoid breakage, we have opted for simple and refined designs and mechanisms.

Our seats are voluntarily made of welded steel.



## Ground safety

The mounting plates are located 25cm below the surface for more stability and to conceal the fasteners.



# OUTDOOR FITNESS

## ► Work-out

### S80101 - Sit up bench.

4 high and low handles. This equipment allows to perform a variety of exercises to work the hips, thighs and abdominals.



### S80105 - Parallel bars.

Allows to strengthen the pectoral and triceps.




### S80106 - Leg stretcher.

Anti-slip seat and footrest. Allow strengthening of all leg and lower body muscles




### S80109 - Pull chair.

Uses only the user's weight as the effort load. Designed to develop back and shoulder muscles.



### S80110 - Push chair.

Uses only the user's weight as the effort load. Designed to develop shoulder and chest muscles.



Suitable for seniors.



Ergonomic grips for simple practice.

## ► Work-out



### S80111 - Rowing machine.

This equipment works the upper body, especially arms and back.



### S80160 - Combo unit.


With 5 different workout stations, this equipment is a great hybrid and compact setup for a whole body workout.



## ► Stretching


### S80107 - Coxswain + steering.

Large wheel to improve the mobility of joints.  
Small wheels to work coordination.



### S80108 - Twister.

Two low and one high rotating platform with non-slip coating. Allows to work on coordination and balance.



Suitable for seniors.




# OUTDOOR FITNESS

Complies with  
EN 16630

## ► Cardio


### S80102 - Elliptical trainer.

Reproduces an identical running movement. Non-slip footrests and edges. It helps to improve endurance and to train leg muscles.




### S80103 - Surfing board.

Equipped with two non-slip platforms with ergonomic edges and handles. Equipped with stops to limit the maximum movement to 42°. Allows the user to swing sideways. Reinforcement of oblique abdominal muscles.



### S80104 - Rambler.

Equipped with two independent footrests. This device reproduces a fast walking movement. Stops limit the maximum movement to 42°. Ideal for working on leg and hip muscles.



### S80112 - Upright rider.

With non-slip pedals, it reproduces the kinematics of a conventional bicycle. Ideal for improving stamina.



Suitable for seniors.

## ► Accessories

### S80840 - Tool kit for fitness equipment.

This toolkit includes all of the essentials for basic maintenance on our outdoor fitness range.



### S80910 - Information panel with support posts.

To be installed at the entrance of the fitness area. Allows to present the equipment available as well as the precautions to be taken.



# CLASSIC OUTDOOR FITNESS RANGE

## ► Work-out

**S80005** - Parallel bars.



**S80006** - Leg stretcher.



**S80009** - Pony rider.



**S80011** - Rowing machine.



**S80010** - Pull up tree.



**S80014** - Pull chairs.



**S80015** - Monkey bars.



**S80017** - Push chairs.



## ► Stretching

**S80007** - Tai chi wheels.



**S80008** - Twister.



**S80013** - Arm wheels.



**S80020** - Coxswain + steering.



## ► Cardio

**S80002** - Elliptical trainer.



**S80003** - Surfing board.



**S80004** - Rambler.



**S80022** - Upright rider.






# POOL EQUIPMENT

## ► Starting block

**S40105** - Stainless steel.  
With anti-slip surface.



**S40120** - Competition. Stainless steel.  
With track start adjustment.  
Complies with World Aquatics standards.



**S40790** - Backstroke flags.  
With stainless steel stanchion posts.

Competition backstroke flags are tensioned across the swimming pool at 5 meters from either end to notify backstroke swimmers the wall is 5 meters away.  
Posts + sockets included.



**S40795** - False start indicator.  
With stainless steel stanchion posts.

To be positioned across the width of the pool, at 15m from the start. Designed to be dropped in the pool in case of a false start, informing swimmers to stop.  
Posts + sockets included.



Easily removable with hooks and carabiner.



Posts and sockets in 316 stainless steel anti-rust



Groove in top cap to help release cord quickly (use slipknot)

# POOL EQUIPMENT

## ► Racing lanes



**S40350** - Racing line trolley.  
Stainless steel and composite material.  
With multi-directional wheels (2 with brakes).  
Capacities: 4 x 25m Ø110 lanes  
2 x 50m Ø110 lanes  
2 x 25m Ø150 lanes  
1 x 50m Ø150 lanes.

 Stainless steel wheels and pool specific corrosion treatment.

### — School racing lanes

Donut floats Ø80mm.  
Sold with cable, ratchet tensioner.

**S40725** - School racing lanes 25m.

**S40730** - School racing lanes 50m.

### — Training racing lanes

Antiwave disks Ø100mm and donut floats Ø80mm.  
Sold with stainless steel cable, ratchet tensioner and spring.

**S40745** - Training racing lanes 25m.



**S40750** - Training racing lanes 50m.

### — Competition racing lanes

Antiwave disks Ø150mm and donut floats Ø80mm. Complies with World Aquatics standards.  
Sold with stainless steel cable, ratchet tensioner and spring.

**S40765** - Competition racing lanes 25m.

**S40770** - Competition racing lanes 50m.



**S40700** - Lane tightener.  
Adjustable by 8 cm (from 18 to 26 cm).

**S40706** - Cable protector spring.



**S40702** - Lane awning spool.



 Application: Used to stretch the float cord and connect the wall anchoring.

 316 stainless steel material, anti-corrosion chemical swimming pool.

**S40711** - Pool wall anchoring.  
For racing lane.

**S40712** - Multi-purpose fixing base.  
Designed to anchor the hook of the racing lanes.



**S40716** - Retractable bayonet peg.  
Recommended for fixing lanes to poolside. Available diameters: 45mm.





# POOL EQUIPMENT

## School/ leisure



**S40235** - Poolside mobile basketball goal. Stainless steel. With integrated wheels and 180kg counterweight.



Pedestal feet is fully adjustable in order to compensate possible court irregularities.


**S40266** - Poolside mobile goal. Stainless steel. Dimensions: 1.2 x 0.8m. With net.



**S40332** - Professional lifeguard chair. 60x30mm aluminium. Delivered with: Seat, coat hooks and adjustable height swivel feet with rubber pads.



**S25331-06** - Sun protection. For Ø32-40mm tubes.



**S25331-07** - Adapter for parasol. For Ø32-40mm tubes.



 Structure with anti-slip ladder and handrail.



 Non-marking rubber pads with adjustable height swivel feet allows to stabilise the chair and protect the floor.

**S40532PZ** - Steel pool trolley. Capacity: 20 balls.



**S40542PZ** - Steel pool trolley. Dimensions: 0.75 x 0.75 x 1.3m.





# AROUND THE PITCH

## 120 — Bleachers

[www.sodexsport.com/bleachers](http://www.sodexsport.com/bleachers)

## 124 — Changing room

[www.sodexsport.com/changing-room](http://www.sodexsport.com/changing-room)

## 126 — Divider curtains

[www.sodexsport.com/divider-curtains](http://www.sodexsport.com/divider-curtains)

## 128 — Court & hall protections

[www.sodexsport.com/court-and-hall-protections](http://www.sodexsport.com/court-and-hall-protections)

## 129 — Windbreaks/Windscreens

[www.sodexsport.com/windbreaks-windscreens](http://www.sodexsport.com/windbreaks-windscreens)

## 130 — Surrounding nets

[www.sodexsport.com/surrounding-nets](http://www.sodexsport.com/surrounding-nets)

## 132 — Playground

[www.sodexsport.com/playgrounds](http://www.sodexsport.com/playgrounds)



# BLEACHERS

Other colours  
on request



## ► Mobile bleachers. Standard range


Our bleachers are made out of 40mm powder-coated square steel tubing. Seats and back-bars in 80x20mm powder-coated aluminium. Floorboard in antislip wood. 4 swivel wheels (2 of which are braked) per module ease movement and storage.



2 x S35630 + 1 x S35631 + 1 x S35632



Bleachers		Benches	Stairs	Railings
2 rows	Ref.	<b>S35620</b>	<b>S35621</b>	-
	Capacity	8 people	2 people	-
3 rows	Ref.	<b>S35630</b>	<b>S35631</b>	<b>S35632</b>
	Capacity	12 people	2 people	-
4 rows	Ref.	<b>S35640</b>	<b>S35641</b>	<b>S35642</b>
	Capacity	16 people	2 people	-



### Option:

To further secure these bleachers, risers are available on demand.

### STANDARDS

Our stairs are 1.2m wide, in order to ease crowd flow, allowing 2 rows of spectators to exit simultaneously, complying with standards requirements.



### RESISTANCE

The last row is reinforced in order to withstand weight of the whole structure in storage position.



[Learn more](#)

## ► Compact bleachers. Premium range

Our bleachers are made out of 40mm powder-coated square steel tubing.

Seats and back-bars in 80x20mm powder-coated aluminium. Floorboard in antislip wood.

These bleachers are built by combining bench assemblies, stairs and railings.

When not in use, these bleachers can be flipped on their side where wheels ease movement.

Furthermore, our design allows bleachers to be slotted into each other in order to optimise storage.

**S35520** - 2 rows. Capacity: 32 people.

Without railings.




**S35530** - 3 rows. Capacity: 47 people.


With railings.

**S35540** - 4 rows. Capacity: 62 people.

With railings.



**S35530**



### STANDARDS

Our Stairs are 1.2m wide, in order to ease crowd flow, allowing 2 rows of spectators to exit simultaneously, complying with standards requirements.



The elements can be nested in their transport position to optimise storage space.


*This range is available in an outdoor version with a structure made of powder-coated galvanized steel.*



## BLEACHERS

### ► Telescopic bleachers

Our telescopic bleachers are made of high-grade steel tubing for maximum durability. The rail mechanisms allow the lower benches to retract against the wall, saving space as needed. Length on demand according to sports hall requirements. Equipped with heavy-duty wheels to prevent marking flooring. Manual deployment is required. Number of rows and seats on request.



#### • Choice of seating

Sodex provides 3 different types of seating to suit the requirements of each customers: 3 aluminium slats, polypropylene seat and HDPE foldable seat.



3 aluminium slats



Seat without backrest



Foldable seat

# BLEACHERS

## ► Stadium bleachers

### — • Choice of seating

Sodex provides 4 different types of seating to suit the requirements of each customers: aluminium bench, polypropylene seat, polypropylene seat with backrest and ABS foldable seat with integrated armrests.



3 aluminium slats



Seat without backrest



Seat with backrest



Foldable seat

### — • Choice of fixations

#### Wall and ground fixations



Concrete fasteners.



Ground-fixed bench.



Wall support fixation.

### — • Seating color chart



RAL 9016



RAL 3002



RAL 5002



RAL 6029



RAL 9017



RAL 3020



RAL 5015



RAL 6001



RAL 7001



RAL 2008



RAL 5012



Pantone 368




RAL 7032



RAL 1018

## CHANGING ROOM

Changing room frames are made of powder-coated 35mm square steel pipe. Seat, backrest, coat rail (4 hooks per meter) and bag rail are in powder-coated reinforced aluminium. Other colours and dimensions on request. Standard length: 2m.



### ► Wall-mounted benches. Wall and ground fixations.


**S36051** - Standard.

**S36053** - With backrest.



**S36055** - With backrest, peg rail.

**S36057** - With backrest, peg rail and shelf.



# CHANGING ROOM

Other colours  
on request




## ► Benches. Double ground fixations.


**S36061** - Standard.



**S36065** - With backrest, peg rail.



**S36067** - With backrest, peg rail and shelf.



**S36063** - With backrest.



**S36056** - With backrest and peg rail.



**S36058** - With backrest, peg rail and shelf.



## ► Accessories

**S36040** - Aluminium peg rail.  
4 coat hooks per meter.



**S36043** - Wall shelf.



**S76640** - PVC coat hook.  
Dual fixations.



## DIVIDER CURTAINS

### ► Motorized hall divider

Our separations are ideal for dividing large sports halls into smaller spaces or training areas. Tailored on demand, according to the specifications of the gymnasium. Made out of PVC tarpaulin and/or netting. Option: M1 and M2 PVC, micromesh & acoustic curtains on request.

Separation system mounted on a frame, with an electric motor for a vertical deployment of the curtain.

**S28451** - PVC 2m only.

**S28456** - All PVC.

**S28461** - PVC 2m + net M100.

**S28466** - PVC 2m + net M45.



**S28471** - All net M100.

**S28476** - All net M45.



Horizontal beams, safety braces, ceiling connection set, and roller shaft assembly (customized for each gym) enhance stability.

# DIVIDER CURTAINS

## ► Manual hall divider

Separation system mounted on rails. Allows the curtain to slide manually into place.

**S28416** - All PVC.

**S28421** - PVC 2m + net M100.

**S28431** - All net M100.

**S28426** - PVC 2m + net M45.

**S28436** - All net M45.



## ► Mobile partitions

Our mobile separation walls, dimensions: 4.0 x 2.5m, are made out of 30x30mm powder-coated steel frame and PVC tarpaulin. Ideal for large sports halls to provide smaller contained playing areas for training or event purposes. 2 brake wheels to immobilize the structure in place.

### Standard range

**S28205** - Mobile separating wall.

**S28205-M2** - Flame retardant M2 solution.

### Foldable range

Hinged design allows easy folding of the structure, for compact storage when not in use.

**S28211** - Foldable mobile separating wall.

**S28211-M2** - Flame retardant M2 solution.



## COURT & HALL PROTECTIONS

### ► Wall padding

Removable foam elements to protect players from injury.

In addition to providing a safe environment for players, they also cushion ball impacts and help lessen noise in large gymnasiums.

Fixing method: Wall-fixed Velcro strips.

**S28250** - Blue PVC wall padding 2x1m.

Thickness 50mm, density 19kg/m<sup>3</sup>.



**S28253** - Blue PVC wall padding 2x1m specially for dojo.

Thickness 22mm, density 30kg/m<sup>3</sup>.

### ► Pillar padding

Protective padding for pillars. Dimensions and thickness on demand.




\*Our wall paddings comply with ASTM F2440-18.

### ► Handball ball stop net (fixed or on a rail).



Protection net to be installed behind the goals (fixed or on a rail). The method of fixing to the wall or the frame should be customized for each project. It may include support brackets, rail supports, or cables.

The net is offered with a set of installation accessories (cables, tensioners, and hooks) to ensure the tension in the net. Suitable for both indoor and outdoor use.



## WINDBREAKS / WINDSCREENS

### ► Windbreaks

Windbreak windscreens in high density polyethylene, UV treated. Reinforced on its perimeter with a PVC bands and 9mm eyelets positioned every 50cm. Height 2m. length on demand.




REF.	Weight	Wind stop	Net border	Height
<b>S55660</b>	180gr/m <sup>2</sup>	60%	PVC band + eyelets	2.00m
<b>S55660B</b>	180gr/m <sup>2</sup>	60%	PVC band + eyelets	2.00m
<b>S55670VF</b>	150gr/m <sup>2</sup>	70%	PVC band + eyelets	2.00m



**S55660**



**S55660B**



**S55670VF**

Standard letter printing with black marking



**S55020** - 0.2m high.  
**S55027** - 0.27m high.  
**S55040** - 0.4m high.  
**S55080** - 0.8m high.

**S55100** - Logo

**S55312** - Stainless steel fixing hook for windbreak and tarpaulin.



**S75306** - Package of 80 cable ties.

### ► Tarpaulin

Our tarpaulins are made from high density PVC, with a reinforced perimeter and eyelets every 50cm. They are sized on demand.



**S55760**

Court tarpaulin. Available in blue or green. Standard height: 2.00m. Length: on demand. Weight: 500g/m<sup>2</sup>. Markings on demand.



**S55770**

Tarpaulin for mesh fence on clay tennis court. Height: 0.75 and 0.40m. Markings on demand.

# SURROUNDING NETS

Other colours  
on request



## ► Surrounding nets

All our nets are made out of high density polyethylene, processed with UV treatment. Perimeter netting enables protecting elements outside the playing field as well as preventing ball loss thus reducing game interruptions.



REF.	Thread	Mesh	Note
	Braided/Twisted	(mm)	
<b>S77015-20</b>	Twisted 1.5	MS 20	Golf course
<b>S77020-48</b>	Twisted 2.0	MS 48	Tennis court
<b>S77025-48</b>	Twisted 2.5	MS 48	Tennis court
<b>S77025-100</b>	Twisted 2.5	MS 100	Handball, volleyball
<b>S77025-145</b>	Twisted 2.5	MS 145	Basketball, football
<b>S77130-50</b>	Braided 3.0	MS 50	Tennis court
<b>S77130-100</b>	Braided 3.0	MS 100	Handball, volleyball
<b>S77130-145</b>	Braided 3.0	MS 145	Basketball, football
<b>S77016-150</b>	Twisted 1.6	MS 150	Roof net
<b>S77016-560</b>	Twisted 1.6	MS 150	Roof shade net (S77016-150 + S55560)



Customizable configuration: Size, Ø thread, mesh, colours (white, black and dark green).

## ► Accessories

### **S77710V** - Tensioning cable.

Runs along the whole perimeter of each net to secure it.



### **S77730V** - Plastic net holders.



To fasten the nets to the tensioning cables around their perimeter.



### **S77754V** - Cable tensioner.



Ease tensioning the net cables to keep them straight for a perfect net shape.





# FENCES AND SURROUNDING NETS

As a professional sports equipment manufacturer, we prioritize not only the quality of our equipment but also ease of installation and maintenance.

Our specialized catalogue can help you find the perfect selection of sports fences, handrails, and surrounding nets to meet your specific needs.



**Sodex Sport is also an expert in fences and surrounding nets**





## ► Spring games

**A galinha** - Rocking spring cock.



**O carrinho duplo** - Rocking spring car. With two seater.



**Shark** - Rocking spring shark. With two seater.



## ► Rotation games

**Fucus** - Seating roundabout.



**Girocóptero** - Standing roundabout.



**Fucus 2** - Seating roundabout. With guard construction.



## ► Seasaws games

**Boleto 1** - Quad seesaw.



**Boleto 2** - Seesaw with tire buffers.



**AGE** - Indicates, in years, the target age range for the equipment in question.



**FREE FALL HEIGHT** - Identifies, in meters, the free fall height from the highest usable point of the game.

# PLAYGROUND

## ► Swings games

**Splagis** - Toddler swing with cradle seat.



**Zea** - Playground double swing set.



## ► Slides games

**Bombyx 1** - Mini slide.



**Bomb 4** - Standard slide.



## ► Playful panels

**Idea** - Tic-tac-toe with revolving panels.



**Labirinto** - Labyrinth game.



**Puzzle** - Image puzzle with sliding panels.



## ► Climbing and balance games

**Guazuma** - Climbing cage.



**Guazuma 2** - Monkey bars.



**AGE** - Indicates, in years, the target age range for the equipment in question.




**FREE FALL HEIGHT** - Identifies, in meters, the free fall height from the highest usable point of the game.



# PLAYGROUND



**Pirâme tridimensional** - Rope net pyramid.



## ► Kiddy and Danaus park

**Dominó VI** - Single tower with tunnel and trees.



**Soft** - Double tower, with connecting bridge and slide.



**Dominó V** - Wheelchair accessible towers.  
With playful panels games.



**Eurema** - Maxi structure.  
With bridges, tunnel and slides.



**AGE** - Indicates, in years, the target age range for the equipment in question.



**FREE FALL HEIGHT** - Identifies, in meters, the free fall height from the highest usable point of the game.

# PLAYGROUND

## ► Theme games

**Giratória** - Digger play structure.



**Bus** - London bus play structure with slide.



**Brag-train** - Train multi-structure with games and slide.



**Dragão** - Dragon climbing park.



**AGE** - Indicates, in years, the target age range for the equipment in question.



**FREE FALL HEIGHT** - Identifies, in meters, the free fall height from the highest usable point of the game.



## CONTACT

### VIETNAM OFFICE

-  Lot G9-10-11, Suoi Dau Industrial Zone, Khanh Hoa, VIETNAM.
-  contact@sodexsport.com
-  (+84) 2583 900 111

### EUROPE OFFICE

-  18 rue de l'Avenir. Bâtiment 224. 14650 Carpiquet. FRANCE.
-  info@sodexsport.fr
-  (+33) 2 31 53 78 70



[www.sodexsport.com](http://www.sodexsport.com)